

# GENERAL AGREEMENT ON

# TARIFFS AND TRADE

---

RESTRICTED

TAR/137

10 April 1987

Limited Distribution

Original: English

## SIXTH CERTIFICATION OF CHANGES TO SCHEDULES

### Schedule XXXVIII - Japan

The following communication, dated 3 April 1987, has been received from the Permanent Mission of Japan.

---

With reference to GATT/AIR/2096, I wish to submit the changes made to schedule XXXVIII - Japan as set out in the enclosed annexes.<sup>1</sup>

Annex I relates to Japan's concessions included in the Fourth Certification of changes to Schedule to the General Agreement on Tariffs and Trade.

Annex II relates to Japan's concessions included in the Geneva (1979) Protocol.

Annex III reproduces the list of additional concessions granted on aircraft products by the signatories of the Agreement on Trade in Civil Aircraft on 22 March 1984.

---

If no objection is notified to the secretariat within three months from the date of the present document, the rectifications to Schedule XXXVIII - Japan will be deemed to be approved and will be reflected in the Sixth Certification of Changes to Schedules.

---

<sup>1</sup>English only

ANNEX I

FOURTH CERTIFICATION OF CHANGES  
TO SCHEDULES TO THE GENERAL AGREEMENT  
ON TARIFFS AND TRADE

SCHEDULE XXXVIII - JAPAN

PART I

Most-Favoured-Nation Tariff

Item ex 41.02

The sub-item 2.(1) shall read:

2. Other:

ex(1) Dyed, coloured, stamped or  
embossed:

Dyed or coloured, excluding  
buffalo leather and roller  
leather:

For the quantity within the  
limits of an annual tariff  
quota stipulated by a  
Cabinet Order, which shall  
not be less than 342,000  
square meters

20%

Note: the annual tariff  
quota stipulated by a  
Cabinet Order includes  
items falling within  
41.02-2-(1).

Other

60%\*

Item 50.04

The item shall read:

\*50.04 Silk yarn, other than yarn of noil or  
other waste silk, not put up for retail  
sale

6%\*

Item ex 64.02

The item shall read:

\*ex 64.02 Footwear with outer soles of leather or  
composition leather; footwear (other than  
footwear falling within heading No. 64.01)  
with outer soles of rubber or artificial  
plastic material:

FOURTH CERTIFICATION OF CHANGES  
TO SCHEDULES TO THE GENERAL AGREEMENT  
ON TARIFFS AND TRADE

SCHEDULE XXXVIII - JAPAN  
PART I (continued)

ex 1. With uppers of leather or with  
uppers containing furskin:

With uppers of leather and  
with outer soles of leather,  
rubber or composition leather,  
excluding those for sports,  
slippers and other house  
footwear:

For the quantity within the  
limits of an annual tariff  
quota stipulated by a Cabinet  
Order, which shall not be less  
than 2,453,000 pairs

27%

Note: the annual tariff quota  
stipulated by a Cabinet  
Order includes footwear  
(excluding those for sports  
and slippers), with uppers  
of leather or with uppers  
containing furskin and  
leather in part, falling  
within ex 64.02-1 and foot-  
wear (excluding those for  
sports and slippers), with  
uppers of leather in part,  
falling within ex 64.02-2-(1).

Other

60% or  
4,800 yen/  
pair,  
whichever  
is the  
greater\*

With uppers of leather and  
with outer soles of leather,  
rubber or composition leather,  
for sports

27%

FOURTH CERTIFICATION OF CHANGES  
TO SCHEDULES TO THE GENERAL AGREEMENT  
ON TARIFFS AND TRADE

SCHEDULE XXXVIII - JAPAN  
PART I (continued)

Item ex 76.01

The sub-item 1. shall read:

- 1. Unwrought aluminium:
  - (1) Unalloyed:
    - Containing less than 99.0%  
by weight of aluminium 9%
    - Other 13% 5/
  - (2) Alloyed 13% 5/ °

## GENEVA (1979) PROTOCOL

## SCHEDULE XXXVIII - JAPAN

PART IMost-Favoured-National TariffItem ex 29.01

The sub-item 3.(3) shall read:

## 3. Aromatic hydrocarbons: .

## (3) Xylenes:

p-Xylene	2.5%	1.6%*
Other	2.5%	2%

Item ex 29.02

The sub-item 3. and 4. shall read:

## 3. Octachlorotetrahydromethanoindan (chlordan); heptachlorotetrahydromethanoindene (heptachlor); hexachlorohexahydro-endo, exo-dimethanonaphthalene (aldrin):

Octachlorotetrahydromethanoindan (chlordan)	10%	Free*
Other	10%	5.8%

## 4. Other:

Vinyl chloride, trichloroethylene, tetrachloroethylene, ethylene dichloride, and carbon tetrachloride	10%	5.8%
Other	10%	4.6%*

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 29.03

The sub-item 2. shall read:

▪	2. Other	10%	4.6%*	▪
---	----------	-----	-------	---

Item ex 29.04

The sub-item 1.(2), 3.(2) and 3.(5) shall read:

▪	1. Saturated monohydric alcohols and their derivatives:			
	(2) Propyl alcohol	10%	4.6%*	▪
▪	3. Polyhydric alcohols and their derivatives:			
	(2) Propylene glycol	15%	8.4%*	▪
▪	(5) Other:			
	Alcohols	10%	4.6%*	
	Other	10%	5.8%	▪

Item ex 29.06

The sub-item 1. and 3. shall read:

▪	1. Mononuclear monophenols:			
	(1) Phenol	10%	4.6%*	
	(2) Cresols and xylenols:			
	Cresols	2.5%	1.6%*	
	Other	2.5%	2%	
	(3) Other	10%	4.6%*	▪

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

▪	3. Polyphenols:		
	For rubber accelerators or rubber antioxidants	12.5%	4.6%*
	Other	10%	4.6%* ▪

Item ex 29.07

The sub-item 2. shall read:

▪	2. Other	10%	4.6%* ▪
---	----------	-----	---------

Item ex 29.08

The sub-item 3. shall read:

▪	3. Other:		
	Ethylene glycol monalkyl ethers	10%	5.6%*
	Other	10%	4.6%* ▪

Item ex 29.09

The sub-item 2. shall read:

▪	2. Other:		
	Hexachloroepoxyoctahydro-endo, exo-dimethanonaphthalene (dieldrin)	10%	5.8%
	Propylene oxide	10%	7%
	Other	10%	5.6%* ▪

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 29.11

The sub-item 3. shall read:

3. Other	10%	4.6%*
----------	-----	-------

Item ex 29.14

The sub-item 1. and 7. shall read:

1. Acetic acid	5%	3%*
7. Other:		
Phenylacetic acid and its salts	20%	6.4%*
Methacrylic acid, its salts and esters; linolic acid, linolenic acid, palmitic acid, myristic acid, lauric acid and capric acid; derivatives of stearic acid, oleic acid, linolic acid, linolenic acid, palmitic acid, myristic acid, lauric acid and of capric acid; ethylene glycol monoalkylethers acetate, benzoic acid and salts of acetic acid	10%	5.8%
Other esters of acetic acid	10%	5.6%*
Other	10%	6.4%*

Item ex 29.15

The sub-item 5. shall read:

5. Other:		
Dimethyl terephthalate	10%	8%
Other:		

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Maleic anhydride, dioctyl orthophthalates, and esters of terephthalic acid	10%	5.8%
Other	10%	4.6%*

Item ex 29.22

The sub-item 5. shall read:

5. Other:		
Phenylaminopropane and its salts	20%	6.4%*
For rubber accelerators or rubber antioxidants	12.5%	5.3%*
Used as naphthol developer	10%	5.8%
Other	10%	4.6%*

Item ex 29.23

The sub-item 1. shall read:

1. Amino alcohols	10%	4.6%*
-------------------	-----	-------

Item ex 29.25

The sub-item 5. shall read:

5. Other:		
N-Methyl-1-naphthylcarbamate	10%	4.6%*
Used as naphthol grounder	10%	5.8%
Narcotics	20%	6.4%*
Other	10%	4.6%*

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 29.27

The sub-item 1. and 3. shall read:

▪	1. Acrylonitrile	10%	6.4%*
▪	3. Other:		
	Narcotics and phenylacetacetonitrile	20%	8.2%
	Other	10%	4.6%*

Item 29.30

The item shall read:

▪	29.30 Compounds with other nitrogen-functions	10%	4.6%*
---	---	-----	-------

Item ex 29.31

The sub-item 4. shall read:

▪	4. Other:		
	Salts of ethylxanthogenic acid, isopropylxanthogenic acid and of amylxanthogenic acid	10%	5.8%
	For rubber accelerators or rubber antioxidants	12.5%	4.6%*
	Other	10%	4.6%*

Item 29.34

The item shall read:

▪	29.34 Other organo-inorganic compounds:		
	Organo-arsenic compounds	10%	5.8%
	Other	10%	4.6%*

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 29.35

The sub-item 11. shall read:

▪ 11. Other:

1, 4-Diazabicyclo [2, 2, 2] octane (triethylenediamine)	10%	4%
--	-----	----

Other:

ε-Caprolactam	10%	7%
---------------	-----	----

Other lactams	10%	5.8%
---------------	-----	------

Other:

For rubber accelerators or rubber antioxidants	12.5%	4.6%*
---	-------	-------

Narcotics	20%	4.6%*
-----------	-----	-------

O, O-Diethyl-O-3, 5, 6-trichloro-2-pyridyl- phosphorothioate (chloropyriphos)	10%	Free*
---	-----	-------

Other	10%	4.6%*
-------	-----	-------

Item 30.05

The item shall read:

▪ 30.05 Other pharmaceutical goods:

Opacifying preparations for X-ray examinations and diagnostic reagents; blood-grouping reagents	10%	4%*
---	-----	-----

Other	10%	5.8%*
-------	-----	-------

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 32.05

The sub-item 3. shall read:

▪	3. Other:		
	Pigment dyestuffs	12.5%	5.3%*
	Other	12.5%	6.6% ▪

Item ex 32.07

The sub-item 5. shall read:

▪	5. Other:		
	White prepared pigments, containing not less than 80% by weight of titanium oxide in the dry state	7.5%	4.8%*
	Other	7.5%	3.9%* ▪

Item ex 32.08

The sub-item 2. shall read:

▪	2. Other:		
	Glass frit and other glass, in the form of powder, granules or flakes	5%	3.7%
	Gold liquids and platinum liquids	7.5%	4.9%
	Other	7.5%	3.2%* ▪

Item ex 32.09

The sub-item 4.(1) and 10. shall read:

▪	4. Coatings containing synthetic resin (other than those specified in 1., 2. or 3. above):		
---	--	--	--

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

(1) Synthetic resin lacquers:

Water-thinned paints (emulsion paints or dispersion paints), synthetic resin varnishes, insulating lacquers and ship's bottom paints	11.25%	6%	
Other	11.25%	4.8%*	▪

▪ 10. Other:

Solution of artificial plastic materials	10%	4.6%*	
Other	10%	5.8%	▪

Item ex 33.04

The sub-item 2. shall read:

▪ 2. Other:

Of a kind used as raw materials for foodstuffs	12.5%	6.6%	
Other	12.5%	5.3%*	▪

Item ex 33.06

The sub-item 1. and 5.(3) shall read:

▪ 1. Perfumed water including eau de Cologne and the like	25%	5.3%*	▪
--	-----	-------	---

▪ 5. Other:

(3) Other:

Incenses, manicure preparations and shaving preparations	20%	8.2%	
---	-----	------	--

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other:

In liquid or paste form:

Toilet water, hair tonics and shampoos	15%	7.2%
Other	15%	5.8%*

Other:

Shampoos	17.5%	7.8%
Other	17.5%	6.2%* °

Item ex 34.02

The sub-item 1. shall read:

° 1. Organic surface-active agents and surface-active preparations	17.5%	6.2%* °
---	-------	---------

Item 34.03

The item shall read:

° 34.03 Lubricating preparations, and preparations of a kind used for oil or grease treatment of textiles, leather or other materials, but not including preparations containing 70% or more by weight of petroleum oils or of oils obtained from bituminous minerals:		
Greases	7.5%	4.9%
Other lubricating preparations:		
Cutting oils, of a specific gravity more than 0.8494 at 15°C, containing more than 50% by weight of petroleum oils or of oils obtained from bituminous minerals in dehydrated state	11.25%	6.2%

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other:

Containing more than 50% by weight of petroleum oils or of oils obtained from bituminous minerals in dehydrated state	10%	5.8%
Containing not more than 50% by weight of petroleum oils or of oils obtained from bituminous minerals in dehydrated state	12.5%	4.8%*
Other	12.5%	6.6% *

Item 37.01

The item shall read:

\*37.01 Photographic plates and film in the flat, sensitised, unexposed, of any material other than paper, paperboard or cloth:

1. For X-ray:

Not for fluorography film	20%	3.9%* <u>1</u> / 3.7%* <u>2</u> /
Other	20%	8.2%

2. Other:

(1) Colour plates and colour film:

Reversal colour film	30%	3.9%* <u>1</u> / 3.7%* <u>2</u> /
Other	30%	4%

(2) Other	15%	3.9%* <u>1</u> / 3.7%* <u>2</u> /
-----------	-----	--------------------------------------

Item ex 37.02

The sub-item 1., 2.(2) and 2.(3) shall read:

1. Cinematograph film:

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

(1) Colour film:		
A. Not more than 30 mm in width, reversal	40%	4%
B. Other:		
35mm in width:		
Positive	30%	3.9%* <u>1</u> / 3.7%* <u>2</u> /
Other	30%	4%
Other	30%	4%
(2) Other:		
For X-ray	15%	7.2%
Other	15%	3.9%* <u>1</u> / 3.7%* <u>2</u> /
2. Other:		
(2) Colour film:		
For general purposes	40%	3.9%* <u>1</u> / 3.7%* <u>2</u> /
Other	40%	4%
(3) Other:		
For general purposes:		
35mm in width	15%	3.9%* <u>1</u> / 3.7%* <u>2</u> /
Other	15%	7.2%
For micro-reproduction photography:		
35mm in width	15%	7.2%
Other	15%	3.9%* <u>1</u> / 3.7%* <u>2</u> /

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other	15%	3.9%* <u>1/</u> 3.7%* <u>2/</u>
-------	-----	------------------------------------

Item 37.03

The item shall read:

° 37.03 Sensitised paper, paperboard and cloth,  
unexposed or exposed but not developed:

1. Colour photographic paper	40%	3.9%* <u>1/</u> 3.7%* <u>2/</u>
2. Other:		
Sensitised photographic paper for diffusion transfer process, combined with transferring materials and developing agents:		
In rolls	7.5%	4.9%
Other	12.5%	6%*
Other	12.5%	6.6%

Item ex 37.07

The sub-item 2.(3) shall read:

2. Other:

(3) More than 30 mm but not more  
than 40 mm in width:

A. Sound track film:

35 mm in width	15 yen/m	Free*
other	25 yen/m	Free*
B. Other	15 yen/m	Free*

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 38.14

The sub-item 2. shall read:

▪	2. Other:		
	For lubricating oil	10%	4.6%*
	Other	10%	5.8%*

Item ex 38.19

The sub-item 5.(3) and 11. shall read:

▪	5. Catalysts		
	(3) Other:		
	For purification of the exhaust gas of motor vehicles	7.5%	Free*
	Other	7.5%	3.2%*
▪	11. Other:		
	Refractory compositions; derivatives of mixture of fatty acids; materials for electrical brushes, consisting of graphite added with metal, carbon or other substances, put up in block, plates, bars or similar forms; solid solutions and mixtures of metal carbides; soda lime	10%	5.8%
	Residual products of the chemical or allied industries	10%	4.8%
	Silicon doped for use in electronics, in the form of discs, wafers or similar forms	10%	Free*
	Other	10%	3.8%*

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 39.01

The sub-item 1.(2), 2.(2), 2.(4), 4. and 6.(4) shall read:

▪	1. Liquid or pasty (including emulsions, dispersions and solutions):		
	(2) Other:		
	Of phenol resins, of amino resins, of polyamides or of polyesters	10%	5.8%
	Of polyurethanes or of epoxide resins	10%	4.6%*
	Of silicones	15%	5.8%*
	Other	10%	4.5%*
▪	2. Blocks, lumps, powders (including moulding powders), granules, flakes and similar bulk forms:		
	(2) Of polyster resins	10%	4.6%*
▪	(4) Other:		
	Of ion-exchange resins	10%	5.8%
	Other:		
	Of amino resins or of polyurethanes	10%	5.8%
	Of epoxide resins	10%	4.6%*
	Of polyamides	10%	5.6%*
	Other	10%	4.1%*
▪	4. Adhesive products coated with an adhesive:		
	Of polyesters:		
	Coated with an adhesive with a basis of natural or synthetic rubber	7.5%	3.9%*

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other	15%	3.9%*
Other:		
Coated with an adhesive with a basis of natural or synthetic rubber	7.5%	4.9%
Other	15%	4.9% *
6. Other:		
(4) Other:		
Of amino resins, polyamides, polyurethanes or of epoxide resins	15%	7.2%
Other	15%	5.2%* *
 <u>Item ex 39.02</u>		
The sub-item 1.(3), 2.(2), 2.(4), 2.(5), 2.(8), 4., 6.(2), 5.(4), and 6.(6) shall read:		
1. Liquid or pasty (including emulsions, dispersions and solutions):		
(3) Other:		
Of polyvinyl chloride, of copolymers of vinyl chloride and vinyl acetate, of acrylic resins, or of polyvinyl acetate	10%	5.8%
Of polybutene	17.5%	7.8%
Other	10%	4.1%* *
2. Blocks, lumps, powders (including moulding powders), granules, flakes and similar bulk forms:		
(2) Of fluorine resins	17.5%	8.4%* *
(4) Of polyvinyl chloride resins or of polyvinyl acetate resins:		
Of copolymers of vinyl chloride and vinyl acetate	10%	4.6%*

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other	10%	5.8%	
(5) Of acrylic resins:			
Ion exchangers	10%	5.8%	
Other:			
Of methyl methacrylate	10%	5.1%	
Other	10%	4.1%*	▪
(8) Other:			
Of ion-exchange resins	17.5%	7.8%	
Other:			
Of polystyrene copolymers	10%	4.6%*	
Of polyvinyl alcohol or of polyvinyl butyral	10%	5.8%	
Other	10%	4.1%*	▪
4. Adhesive products coated with an adhesive:			
Coated with an adhesive with a basis of natural or synthetic rubber:			
Of polyethylene, of polypropylene, of polystyrene and its copolymers, of acrylic resins or of polyvinyl acetate or of copolymers of vinyl chloride and vinyl acetate	7.5%	4.9%	
Of polyvinyl chloride:			
plates, tiles or strip of the types used for flooring	7.5%	4.9%	
Other	7.5%	3.9%*	
Other	7.5%	4.2%	

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other:

Of polyethylene, of polypropylene, of polystyrene and its copolymers, of acrylic resins (other than methyl methacrylate resin) or of polyvinyl acetate; plates, tiles or strip of the types used for flooring, of polyvinyl chloride or of copolymers of vinyl chloride and vinyl acetate

	15%	4.9%
--	-----	------

Of fluorine resins	17.5%	4.2%
--------------------	-------	------

Of methyl methacrylate resins	17.5%	4.9%
-------------------------------	-------	------

Other:

Of polyvinyl chloride	15%	3.4%*
-----------------------	-----	-------

Other	15%	4.2% *
-------	-----	--------

6. Other:

(2) Of fluorine resins	17.5%	5.6%* *
------------------------	-------	---------

(4) Of polyvinyl chloride resins or of polyvinyl acetate resins:

A. Polyvinyl chloride resin plaiting materials with a core of rattan	15%	7.2%
--	-----	------

B. Other:

In primary forms:

Plates, tiles or strip of the types used for flooring, of polyvinyl chloride	10%	4.6%*
--	-----	-------

Other	10%	5.8%
-------	-----	------

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other:

Plates, tiles or strip of the types used for flooring, of polyvinyl chloride	15%	5.8%*
---	-----	-------

Other	15%	7.2% <sup>a</sup>
-------	-----	-------------------

(6) Other:

Of polypropylene or of polystyrene copolymers	15%	7.2%
--	-----	------

Of polyvinyl butyral	15%	5.8%*
----------------------	-----	-------

Other	15%	6.5% <sup>a</sup>
-------	-----	-------------------

Item ex 39.03

The sub-item 2.(4) shall read:

2. Other:

(4) Other:

Ham casings and the like, in tubular form	10%	5.8%
--	-----	------

Other:

Regenerated cellulose, cellulose nitrates and cellulose acetates	10%	5.8%
--	-----	------

Other:

Non-plasticised	10%	4.6%*
-----------------	-----	-------

Other	10%	5.8% <sup>a</sup>
-------	-----	-------------------

Item ex 39.06

The sub-item 2. shall read:

2. Other:

Starch derivatives	10%	8%
--------------------	-----	----

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other	10%	5.1%*
-------	-----	-------

Item ex 39.07

The sub-item 4.(1) shall read:

4. Other:

(1) Articles of materials of the kinds described in heading No. 39.01 or 39.02:

Articles for the conveyance or packing of goods, including disposable drinking cups; stoppers, lids, caps and other closures	15%	5.8%*
--	-----	-------

Sanitary or toilet articles; ornamental articles and objects of personal adornment; office or school supplies; articles of apparel and clothing accessories; articles for electric lighting; roller blinds, venetian blinds and similar articles, and parts thereof	15%	7.2%
---	-----	------

Other	15%	5.8%*
-------	-----	-------

Item ex 40.08

The sub-item 1. shall read:

1. Of expanded, foam or sponge rubber (including those combined with textile fabrics merely for reinforcing purposes)	10%	4.6%*
---	-----	-------

Item 40.09

The item shall read:

"40.09 Piping and tubing, of unhardened vulcanised rubber	10%	4.6%*
---	-----	-------

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 40.11

The sub-item 1. shall read:

- " 1. Tyres and tyre cases, for motor vehicles, of more than 101.6 mm in nominal width; inner tubes or tyre flaps thereof:

Pneumatic tyres and tyre cases:

New	12.5%	Free*
Other	12.5%	5.8%
Other	15%	6.5% "

Item ex 40.14

The sub-item 2. shall read:

- " 2. Other 7.5% 3.4%\* "

Item 44.23

The item shall read:

"44.23	Builders' carpentry and joinery (including prefabricated and sectional buildings and assembled parquet flooring panels):		
	Tategu (door, window sash and the like) and Tokobashira	7.5%	Free
	Other	7.5%	3.9%* "

Item ex 48.01

The sub-item 2.(2), (3), (4) and (5) shall read:

- " 2. Other:
- (2) Printing, writing or drawing paper, weighing more than 30 g/m<sup>2</sup> but not more than 300 g/m<sup>2</sup>:

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

A. Newsprint paper, containing ground wood pulp, in rolls, exceeding 80 cm in width, and weighing not more than 58 g/m <sup>2</sup>	5.5%	3.1%*
B. Other	10%	5.8%
(3) Wrapping paper, weighing more than 30 g/m <sup>2</sup> but not more than 300 g/m <sup>2</sup> :		
Kraft paper and kraft liner	15%	5.7% <sup>*1/</sup> 4.6% <sup>*3/</sup> 3.5% <sup>*4/</sup>
Wrapping paper, of sulphite pulp and semi-chemical fluting paper	15%	12%
Other	15%	10%
(4) Paperboard, weighing more than 300 g/m <sup>2</sup> :		
White paperboard, kraft liner paper and kraft paperboard	10%	3.5% <sup>*1/</sup> 3% <sup>*3/</sup> 2.5% <sup>*4/</sup>
Other	10%	8%
(5) Other:		
A. In rolls, weighing more than 130 g/m <sup>2</sup>	20%	6%*
B. Other	15%	5.2%* *

Item ex 48.05

The sub-item 1. shall read:

1. Corrugated paper and paperboard	7.5%	3.4%* *
------------------------------------	------	---------

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item 48.07

The item shall read:

*48.07	Paper and paperboard, impregnated, coated, surface-coloured, surface-decorated or printed (not constituting printed matter within Chapter 49), in rolls or sheets:		
	1. Ruled, lined or squared:		
	(1) Paper; paperboard weighing not more than 300 g/m <sup>2</sup>	7.5%	3.4%*
	(2) Other	5%	2.6%*
	2. Other:		
	(1) Art paper	15%	5.8%*
	(2) Tracing paper	7.5%	3.4%*
	(3) Paraffined paper and waxed paper	5%	2.5%*
	(4) Oiled paper	5%	2.5%*
	(5) Lithographic paper	7.5%	3.9%*
	(6) Carbon paper	7.5%	3.4%*
	(7) Tarred paper	5%	2.5%*
	(8) Adhesive products coated with an adhesive:		
	Coated with an adhesive with a basis of natural or synthetic rubber	7.5%	3.9%*
	Other	10%	3.9%*
	(9) Other:		
	Paper and paperboard, bituminised or asphalted and baryta paper	10%	4.6%*

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other:

Printing, writing or drawing paper	10%	4.1%
Other	10%	2.5%*1/ 1.3%*3/ Free*4/

Item ex 51.01

The sub-item 1.(2) shall read:

1. Containing more than 50% by weight of synthetic fibres or acetate fibres:

(2) Other:

Containing more than 50% by weight of nylon fibres, polyacrylonitrile fibres, polyester fibres, polypropylene fibres, polyvinylidene chloride fibres, vinylon fibres or acetate fibres:

Of nylon fibres:

Textured yarns	12.5%	10%
Other:		
Untwisted or with a twist of not more than 50 turns per metre:		
Of aromatic polyamide fibres (Aramid fibres)	12.5%	4%*
Other	12.5%	8%*
Other	12.5%	10%
Other	12.5%	10%
Other	25%	10%

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 56.01

The sub-item 1. shall read:

- 1. Containing more than 50% by weight of synthetic fibres or acetate fibres:

Containing more than 50% by weight of nylon fibres, polyacrylonitrile fibres, polyester fibres, polypropylene fibres, polyvinylidene chloride fibres, vinylon fibres or acetate fibres:

Of nylon fibres	12.5%	8%*
Other	12.5%	10%
Other	25%	10%

Item ex 58.02

The sub-item 2. shall read:

- 2. Other:

Of cotton	21%	16.8%
-----------	-----	-------

Other:

"Kelem", "Schumacks" and "Karamanie" rugs and the like	15%	12%
--	-----	-----

Other:

Of man-made fibres:

Tufted	15%	9.6%*
Other	15%	12%
Other	15%	12%

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 59.01

The sub-item 2. shall read:

▪	2. Other:		
	Wadding and articles of wadding	5%	1.5%*
	Other	5%	3.7% ▪

Item ex 59.03

The sub-item 1. shall read:

▪	1. Bonded fibre fabrics and similar bonded yarn fabrics:		
	Of cotton	14%	9.8%
	Of aromatic polyamide fibres, used for electrical insulating materials	10%	7%
	Of other man-made fibres	10%	6.4%*
	Other	10%	8% ▪

Item ex 59.17

The sub-item 3. shall read:

▪	3. Other:		
	Of cotton	10.5%	7.3%
	Other	7.5%	4.2%* ▪

Item ex 64.02

The sub-item 2.(1) shall read:

▪	2. Other:	
	ex(1) With outer soles of leather:	

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN

PART I (Continued)

Canvas shoes:

With uppers of leather in part, excluding those for sports:

For the quantity within the limits of an annual tariff quota stipulated by a Cabinet Order, which shall not be less than 2,453,000 pairs

27% 21.6%

Note: the annual tariff quota stipulated by a Cabinet Order includes footwear (excluding those for sports and slippers), with uppers of leather or with uppers containing furskin and leather in part, falling within ex 64.02-1 and footwear (excluding those for sports and slippers), with uppers of leather in part, falling within ex 64.02-2-(1).

Other	27%	60% or 4,800 yen/pair, whichever is the greater*
-------	-----	---

Other	27%	21.6% *
-------	-----	---------

Item 68.16

The item shall read:

"68.16 Articles of stone or of other mineral substances (including articles of peat), not elsewhere specified or included:

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Articles of carbon or of graphite	7.5%	2.4%*
Other	7.5%	6%

Item ex 69.09

The sub-item 1. shall read:

1. Laboratory, chemical or industrial wares:		
Elements of soft ferrite, as parts of machine, apparatus or instruments of Chapter 84 or 90 and catalyst carriers, intended for use in manufacturing catalyst	7.5%	4.2%
Other	7.5%	1.7%*

Item 70.03

The item shall read:

*70.03	Glass in balls, rods and tubes, unworked (not being optical glass):		
	1. Of fused quartz or fused silica	10%	3.2%*
	2. Other	5%	Free*

Item 70.07

The item shall read:

*70.07	Cast, rolled, drawn or blown glass (including flashed or wired glass) cut to shape other than rectangular shape, or bent or otherwise worked (for example, edge worked or engraved), whether or not surface ground or polished; multiple-walled insulating glass; leaded lights and the like	12.5%	1.9%*
--------	--	-------	-------

Item 70.08

The item shall read:

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

\*70.08 Safety glass consisting of toughened or laminated glass, shaped or not:

Laminated glass for motor vehicles	12.5%	Free*
Other	12.5%	6.6% *

Item ex 70.20

The sub-item 2. shall read:

2. Other:

Slivers, rovings and yarns of glass fibre	12.5%	5.8%
---	-------	------

Other	12.5%	4.6%*
-------	-------	-------

Item 70.21

The item shall read:

\*70.21 Other articles of glass:

Of fused quartz or fused silica	20%	1.7%*
---------------------------------	-----	-------

Other	7.5%	1.7%*
-------	------	-------

Item 71.03

The item shall read:

\*71.03 Synthetic or reconstructed precious or semi-precious stones, unworked, cut or otherwise worked, but not mounted, set or strung (except ungraded stones temporarily strung for convenience of transport):

1. Formed to be used for mechanical or industrial purposes	2.5%	Free*
--	------	-------

2. Other:

Synthetic diamond	20%	8.2%
-------------------	-----	------

Other:

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Crystal	20%	Free*
Other	20%	3%* *

Item ex 71.16

The sub-item 1. shall read:

1. Plated with precious metals	20%	5.6%* *
--------------------------------	-----	---------

Item ex 73.38

The sub-item 2. shall read:

2. Other:		
Domestic articles and parts thereof	7.5%	3.9%*
Other	7.5%	4.9% *

Item 76.03

The item shall read:

\*76.03 Wrought plates, sheets and strip, of aluminium:

For use as roofs of the large type containers of which the standard is stipulated by a Cabinet Order, or a width not less than 2.3m	18%	Free
---	-----	------

Note: For the application of this rate, Japan reserves the right to implement an end-use system of customs administration in accordance with relevant domestic law and regulations, provided that such system shall not result in nullification or any impairment of the concession.

Other:

Plates and sheets for aircraft, clad and polished	18%	Free*
Other	18%	3%* <u>5/</u> *

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 82.11

The sub-item 1. and 2. shall read:

<ul style="list-style-type: none"> <li>▪ 1. Safety razors, with or without blades therefor</li> <li>2. Safety razor blades, other than those in strips</li> </ul>	<p>10%      1.9%*</p> <p>1 yen 50 sen/ 50 sen/ piece* piece</p>
---	---

Item ex 84.06

The sub-item 2. shall read:

<ul style="list-style-type: none"> <li>▪ 2. Parts:</li> <li style="padding-left: 40px;">For aircraft</li> <li style="padding-left: 40px;">For motor vehicles</li> <li style="padding-left: 40px;">Other:</li> <li style="padding-left: 80px;">Pistons and piston rings</li> <li style="padding-left: 40px;">Other:</li> <li style="padding-left: 80px;">For ships</li> <li style="padding-left: 80px;">Other</li> </ul>	<p>15%      5%</p> <p>15%      3%</p> <p>7.5%      3%</p> <p>7.5%      3%</p> <p>7.5%      Free*</p>
---	--

Item ex 84.08

The sub-item 2.(2) shall read:

<ul style="list-style-type: none"> <li>▪ 2. Parts:</li> <li style="padding-left: 40px;">(2) Other:</li> <li style="padding-left: 80px;">Parts of gas turbines or of hydro-jet engines</li> <li style="padding-left: 80px;">Other</li> </ul>	<p>10%      4.3%</p> <p>10%      Free*</p>
---	--

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 84.10

The sub-item 1.(2) shall read:

1. Pumps for liquids and parts thereof:

(2) Other pumps for liquids (other than those specified in (1) above):

Pumps for dispensing fuel or lubricants, of the types used in filling stations or garages, fitted, or designed to be fitted, with a measuring device:

Reciprocating pumps, gear pumps, vane pumps and screw pumps

15% 4.2%

Other

7.5% 4.2%

Other:

Reciprocating pumps:

Oil hydraulic pumps

15% 3.6%

Other

15% Free\*

Turbine pumps

7.5% 3.6%

Volute pumps

7.5% Free\*

Axial flow pumps

7.5% 4.2%

Other rotary pumps:

Oil hydraulic pumps:

Vane or gear type, for power-assisted steering gears of motor vehicles for transport of persons other than buses

15% 3.6%

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other	15%	Free*
Other:		
Gear pumps, vane pumps and screw pumps	15%	5.7%
Other	7.5%	3.6%
Other	7.5%	3.6%

Item 84.11

The item shall read:

84.11	Air pumps, vacuum pumps and air or gas compressors (including motor and turbo pumps and compressors, and free-piston generators for gas turbines); fans, blowers and the like:		
1. Pumps:			
(1)	Vacuum pumps	15%	Free*
(2)	Other	15%	3.6%
2. Air or gas compressors:			
	Of a weight not more than 1000KG, excluding free-piston generators for gas turbines:		
	Reciprocating type	15%	5.7%
	Other	15%	Free*
	Other	15%	3.6%
3. Fans, blowers and the like:			
	Exhaust gas turbo-chargers for diesel engines	7.5%	4.2%
	Other:		
	For motor vehicles	15%	3.6%

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other	15%	Free*
4. Parts of the machines specified in 1., 2. or 3. above:		
Of free-piston generators for gas turbines	7.5%	4.2%
Of air pumps, vacuum pumps, or of air or gas compressors	7.5%	Free*
Of fans, blowers and the like:		
Of exhaust gas turbo chargers for motor vehicles	7.5%	3.6%
Other	7.5%	Free*

Item ex 84.12

The sub-item 2. shall read:

2. Other:

Air conditioning machines, of compressor type, other than those of window type:

With a rating of electric power consumption for cooling more than 3 KW, other than those of package type	15%	Free*
Other	15%	3%
Other	15%	4%

Item ex 84.15

The sub-item 2. shall read:

2. Other refrigerators and refrigerating equipment:

Ice cream freezers	7.5%	3.6%
--------------------	------	------

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Refrigerating machines:

Not more than 100kg in weight	15%	3.6%
More than 100kg in weight	15%	Free*
Ice making machine	15%	3.6%
Other	15%	Free*

Item 84.17

The item shall read:

- 84.17 Machinery, plant and similar laboratory equipment, whether or not electrically heated, for the treatment of materials by a process involving a change of temperature such as heating, cooking, roasting, distilling, rectifying, sterilising, pasteurising, steaming, drying, evaporating, vapourising, condensing or cooling, not being machinery or plant of a kind used for domestic purposes; instantaneous or storage water heaters, non-electrical:

Instantaneous or storage water heaters	7.5%	6%
Other	7.5%	Free*

Item 84.18

The item shall read:

- 84.18 Centrifuges; filtering and purifying machinery and apparatus (other than filter funnels, milk strainers and the like), for liquids or gases:

1. Centrifuges and parts thereof:

Centrifuges other than cream separators	7.5%	Free*
Other	7.5%	4.2%

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

2. Other:

For motor vehicles	7.5%	4.2%
Other	7.5%	Free* "

Item ex 84.19

The sub-item 2. shall read:

" 2. Other:

Dish washing machines of the household type and bottling machines	7.5%	4.9%
Other	7.5%	3.9%* "

Item 84.21

The item shall read:

- " 84.21 Mechanical appliances (whether or not hand operated) for projecting, dispersing or spraying liquids or powders; fire extinguishers (charged or not); spray guns and similar appliances; steam or sand blasting machines and similar jet projecting machines:

Mechanical appliances for projecting, dispersing or spraying liquids or powders, other than pneumatic machines	7.5%	Free*
Other	7.5%	4.2% "

Item ex 84.23

The sub-item 3. shall read:

" 3. Other:

Pile-drivers and snow-ploughs	7.5%	4.2%
-------------------------------	------	------

Other machinery:

Self-propelled:

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN

PART I (Continued)

Bulldozers, angledozers and graders	7.5%	4.2%
Scrapers	7.5%	4.9%
Other	7.5%	Free*
Other	7.5%	4.2%
Other parts	7.5%	3.6%

Item 84.33

The item shall read:

- 84.33 Paper or paperboard cutting machines of all kinds; other machinery for making up paper pulp, paper or paperboard:

Parts	7.5%	4.2%
-------	------	------

Other	7.5%	Free*
-------	------	-------

Item 84.45

The item shall read:

- 84.45 Machine-tools for working metal or metal carbides, not being machines falling within heading No. 84.49 or 84.50:

- 1. Machine-tools whose function is to remove metal or metal carbides:

- (1) Of a kind operated by numerical control system:

Automatic lathes, multi-spindles, excluding those of bar type, equipped with not more than 6 spindles	10%	5.8%
---	-----	------

Profile milling machines (including die-sinking machines, but not including cam type machines), equipped with not less

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

than 3 milling spindles, or of a working surface not less than 1.5m <sup>2</sup>	10%	Free*
Surface grinding machines (other than those of rotary table type) with the maximum grinding length more than 3,000mm	10%	5.8%
Thread grinding machines	10%	5.8%
Spur gear shapers, of pinion gear cutter type, with the maximum working diameter, not less than 900mm, and of rack cutter type, with the maximum working diameter not less than 1,200mm	10%	5.8%
Spur gear grinding machines	10%	4.8%
Other:		
Lathes	15%	Free*
Boring machines	15%	Free*
Milling machines	15%	Free*
Planers	15%	7.2%
Grinding machines	15%	Free*
Gear cutting machines	15%	Free*
Gear finishing machines, n.e.s.	15%	Free*
Sharpening, trimming, trueing, polishing, lapping, dressing or surfacing machines and similar machines operating by means of abrasives or polishing products, n.e.s.	15%	Free*
Reaming machines	15%	7.2%

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Drilling machines	15%	Free*
Sawing (including friction or abrasive cutting off) machines	15%	Free*
Tapping or screwcutting machines	15%	7.2%
Machine-tools operating by electro-erosion or other electric or electronic processes; ultrasonic machine-tools	15%	Free*
Other	15%	Free*

(2) Other:

Lathes:

Engine lathes, with a swing over bed not less than 1,000mm	12.5%	5.4%
Automatic copying lathes	12.5%	6.6%
Automatic lathes, with single spindle, of bar type	12.5%	5.4%
Vertical lathes, with a table not less than 2,000mm in diameter	12.5%	5.4%

Other:

Automatic lathes, with multi spindles	10%	Free*
---------------------------------------	-----	-------

Other:

Vertical lathes, with a table less than 2,000mm in diameter	7.5%	3.3%
Other	7.5%	Free*

Boring machines	12.5%	Free*
-----------------	-------	-------

Milling machines:

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Universal tool milling machines	12.5%	Free*
Profile milling machines (including die-sinking machines), equipped with not more than 2 milling spindles, of a working surface less than 1.5m <sup>2</sup>	12.5%	Free*
Planomillers	12.5%	5.4%
Other:		
Profile milling machines (including die-sinking machines, but not including cam type machines), equipped with not less than 3 milling spindles, or of a working surface not less than 1.5m <sup>2</sup>	10%	Free*
Other:		
Milling machines, knee type (excluding profile milling machines)	7.5%	4.2%
Other	7.5%	Free*
Planers	12.5%	5.4%
Grinding machines:		
Internal grinding machines, with the maximum working diameter less than 200mm, excluding those of centerless type	12.5%	Free*
Internal grinding machines, with the maximum working diameter not less than 200mm	12.5%	Free*
Surface grinding machines, of rectangular table type, with the maximum grinding length less than 2,000mm,		

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

and vertical surface grinding machines, of rotary table type	12.5%	Free*
Surface grinding machines, with the maximum grinding length not less than 2,000mm but not more than 3,000mm	12.5%	6.6%
Other:		
Surface grinding machines:		
With the maximum grinding length more than 3,000mm, excluding those of rotary table type	10%	Free*
Other	7.5%	Free*
Thread grinding machines	10%	3.3%
Internal grinding machines	7.5%	3.3%
Other	7.5%	Free*
Gear cutting machines and gear finishing machines:		
Vertical hobbing machines, single spindle, with a table not less than 700mm in diameter	12.5%	Free*
Other:		
Spur gear shapers	10%	Free*
Spur gear grinding machines	10%	4.8%
Hobbing machines	7.5%	4.2%
Other	7.5%	Free*
Other:		
Honing machines for bore	12.5%	Free*
Broaching machines	12.5%	5.4%

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other:

Reaming machines	7.5%	Free*
Other	7.5%	Free*

2. Other:

(1) Of a kind operated by numerical control system:

Forging machines (including forging rolls)	15%	7.2%
Shearing machines	15%	Free*
Presses	15%	5.7%
Stamping machines	7.5%	4.9%
Other	7.5%	Free*

(2) Other:

Presses, forming machines (excluding coiling or forming machines for spring), folding machines, flattening machines, shearing machines, punching machines, notching machines, bending machines and drawing machines	7.5%	Free*
Stamping machines	7.5%	4.2%
Coiling or forming machines for spring	7.5%	3.3%
Other	7.5%	Free*

Item ex 84.52

The sub-item 2. shall read

• 2. Other:

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN

PART I (Continued)

(1) Cash registers, having function to work in electrical connection with central processing units of electronic digital automatic data processing machines and having function to work as individual machines	25%	Free*
(2) Other:		
Electric calculating machines:		
With 3 rules or more calculating mechanisms	15%	6%
Other	6%	3.6%
Calculating machines, n.e.s.	7.5%	4.2%
Bookkeeping and accounting machines:		
Electronic type	15%	Free*
With 3 rules or more calculating mechanisms, n.e.s.	15%	5.7%
Other	7.5%	6%
Cash registers:		
With 5 or more totalling device	15%	6%
Other	7.5%	4.9%
Other	7.5%	4.9% *

Item 84.54

The item shall read:

- \* 84.54 Other office machines (for example, hectograph or stencil duplicating machines, addressing machines, coin-sorting machines,

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

coin-counting and wrapping machines,  
pencil-sharpening machines, perforating and  
stapling machines):

Duplicating machines and word processing machines	7.5%	4.2%
Other	7.5%	Free*

Item ex 84.59

The sub-item 7. shall read:

7. Other machinery and mechanical appliances, and parts thereof:		
(1) Machinery and mechanical appliances:		
Dolomite throwing machines, automatic coil winding machines, closed type continuous margarine manufacturing machines, pellet feed making machines and pneumatic machines	7.5%	4.2%
Machines and appliances for tobacco industry	10%	9%
Marine steering equipment	10%	5.8%
Polymerization kettles	7.5%	4.9%
Machines and appliances for the animal or vegetable fats and oils industry, for treating wood, for treating metal or metal carbides, for public works, building or the like and for the rubber or artificial plastic material industries	10%	4.8%
Other	10%	Free*
(2) Parts	7.5%	Free**

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item 84.61

The item shall read:

<p>"84.61 Taps, cocks, valves and similar appliances, for pipes, boiler shells, tanks, vats and the like, including pressure reducing valves and thermostatically controlled valves:</p>			
Valves for vehicles	10%	3.6%	
Pressure reducing valves, automatic control valves and similar mechanical valves other than valves for vehicles	20%	Free*	
Other:			
High pressure and temperature valves of iron or steel, of a nominal pressure of more than 24 kg/cm <sup>2</sup> at 530°C or higher, or of a nominal pressure of more than 175 kg/cm <sup>2</sup> at 370°C or higher	15%	Free*	
Other:			
Of iron, steel or copper, excluding those combined with precious metals or plated with metals	7.5%	Free*	
Other	10%	Free*	

Item ex 84.63

The sub-item 2. shall read:

<p>2. Other:</p>			
Transmission shafts, cranks, bearing housings, plain shaft bearings, and parts thereof:			
Crank shafts and parts thereof	7.5%	4.2%	
Other:			
For motor vehicles	7.5%	4.2%	
Other	7.5%	Free*	

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Fly wheels, pulleys, pulley blocks, and parts thereof	7.5%	4.2%
Clutches, shaft couplings, and parts thereof	7.5%	Free*
Other:		
Marine reduction gear and reversing gear; parts of marine reduction gear, with shaft driven by the motor, capable of revolving not less than 10,000 r.p.m.	7.5%	4.2%
Other	7.5%	Free* *

Item 85.04

The item shall read:

* 85.04	Electric accumulators:		
	Lead-acid accumulators:		
	With a nominal voltage of 6V or 12V	10%	Free*
	Other	10%	4.6%*
	Other electric accumulators	10%	4.6%*
	Parts	10%	5.8% *

Item ex 85.11

The sub-item 1. shall read:

*	1. Electric furnaces, ovens and induction and dielectric heating equipments and parts thereof	7.5%	Free* *
---	--	------	---------

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item 85.13

The item shall read:

<p>▪ 85.13 Electrical line telephonic and telegraphic apparatus (including such apparatus for carrier-current line systems):</p>			
Apparatus for carrier-current line systems	6%	Free*	
Electronical telephonic and telegraphic switchboards and exchanges	15%	Free*	
Telephonic switchboards and exchanges (other than those of electronic types), electrical line telephonic apparatus, n.e.s.; parts equally suitable for use principally with electrical line telephonic and telegraphic apparatus and radiotelegraphic and radiotelephonic apparatus, etc.	7.5%	Free*	
Other	7.5%	Free*	▪

Item ex 85.15

The sub-item 3., 4. and 5. shall read:

<p>▪ 3. Radar apparatus:</p>			
For ships	7.5%	6%	
For aircrafts, whether for mounting on the aircraft or on land	15%	6.5%	
Other	7.5%	Free*	
<p>4. Other machinery:</p>			
For aircraft, whether for mounting on the aircraft or on land	20%	Free*	

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Other:

Television cameras and radio navigational aid apparatus and radio remote control apparatus	10%	5.1%
Other	10%	Free*
5. Parts of machinery specified in 1., 2., 3. or 4. above	10%	Free* *

Item 85.17

The item shall read:

85.17 Electric sound or visual signalling apparatus (such as bells, sirens, indicator panels, burglar and fire alarms), other than those of heading No. 85.09 or 85.16	7.5%	Free* *
--	------	---------

Item 85.18

The item shall read:

85.18 Electrical capacitors, fixed or variable:		
Electric power condensers	7.5%	4.2%
Other	7.5%	Free* *

Item ex 85.19

The sub-item 2. shall read:

2. Other:		
Resistors	7.5%	2.9%*
Electro-magnetic switches and micro-switches	7.5%	3.6%
Other	7.5%	Free* *

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 85.20

The sub-item 1. shall read:

▪	1. Filament lamps:		
	Infra-red lamps	7.5%	4.2%
	Other	7.5%	3.4%*

Item ex 85.21

The sub-item 1. and 3. shall read:

▪	1. Thermionic valves and tubes:		
	For laboratory instruments or apparatus:		
	Receiving tubes	7.5%	4.2%
	Other	7.5%	Free*
	Other:		
	Receiving tubes, excluding non-entertainment receiving tubes (i.e. reliable tubes)	10%	4.2%
	Other:		
	Cathode-ray tubes for television receivers and receiving tubes	15%	4.2%
	Other	15%	Free*
▪	3. Other:		
	Parts:		
	Of photocells, diodes, transistors and similar semiconductor devices and integrated circuits	10%	4.3%
	Other	10%	Free*
	Other	10%	4.3%

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item 85.22

The item shall read:

- 85.22 Electrical appliances and apparatus, having individual functions, not falling within any other heading of this Chapter:

Signal generators with a frequency range of not less than 100 MHz	15%	Free*
Other signal generators	7.5%	Free*
Particle accelerators and parts thereof	7.5%	3.6%
Other	7.5%	Free* ▪

Item ex 85.23

The sub-item 2. shall read:

- 2. Those insulated or sheathed with synthetic rubber other than those specified in 1. above:

High-voltage cables for motor vehicles	15%	Free*
Other	15%	7.2% ▪

Item 87.01

The item shall read:

- 87.01 Tractors (other than those falling within heading No. 87.07), whether or not fitted with power take-offs, winches or pulleys:

1. Of wheel type:

With a nominal horse power more than 50 PS:

Of four-wheeled type:

Road tractors for semi-trailers	10%	5.8%
---------------------------------	-----	------

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

For agriculture	10%	Free*
Other	10%	5%
Other:		
Road tractors for semi-trailers:		
Of three-wheeled type	15%	5.8%
Other	10%	5.8%
Other:		
Of steam engine type and three-wheeled type	15%	3.7%
Other	10%	3.7%
Other:		
Of four-wheeled type:		
For agriculture	10%	Free*
Other	10%	5.8%
Other:		
Road tractors for semi-trailers:		
Of three-wheeled type	15%	6%
Other	10%	5.8%
Other:		
Of steam engine type and three-wheeled type	15%	4.2%
Other	10%	4.2%
2. Other	10%	Free*

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 87.02

The sub-item 1. and 3. shall read:

1. Motor vehicles for the transport of persons (including racing cars, passenger jeeps and combined passenger-cargo cars, but not including buses specified in 2. below, special transport vehicles such as ambulances and motor vehicles of track-laying type):		
(1) Not more than 270 cm in wheel base	30%	Free*
(2) More than 270 cm but not more than 304.8 cm in wheel base:		
Of three-wheeled type	20%	Free*
Other	17.5%	Free*
(3) More than 304.8 cm in wheel base:		
Of three-wheeled type	20%	Free*
Other	17.5%	Free*
3. Trucks, vans or lorries, other than those of track-laying type and shuttle cars:		
Trucks, more than 254 cm in wheel base and loading capacity of not less than 18 metric tons, excluding those of three-wheeled type	13.5%	Free*
Other	15%	Free*

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item 87.03

The item shall read:

<ul style="list-style-type: none"> <li>▪ 87.03 Special purpose motor lorries and vans (such as breakdown lorries, fire-engines, fire-escapes, road sweeper lorries, snow-ploughs, spraying lorries, crane lorries, searchlight lorries, mobile work-shops and mobile radiological units), but not including the motor vehicles of heading No. 87.02</li> </ul>	10%	Free* ▪
--	-----	---------

Item ex 90.03

The sub-item 1. shall read:

<ul style="list-style-type: none"> <li>▪ 1. Made of , or combined with, precious metals, rolled precious metals, metals plated with precious metals or Bekko:</li> </ul>		
Frames, excluding those made of metals, celluloid or synthetic resins	20%	4.9%*
Other	20%	7%* ▪

Item ex 90.07

The sub-item 1. (2) shall read:

<ul style="list-style-type: none"> <li>▪ 1. Cameras (including obscura):</li> </ul>		
(2) For photo-engraving, X-rays, copying documents or for medical, dental or surgical purposes:		
Cameras for dental, medical or surgical purposes	15%	2.3%*
Other	15%	5.7% ▪

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item ex 90.09

The sub-item 2. shall read:

2. Other	10%	Free*
----------	-----	-------

Item 90.10

The item shall read:

90.10	Apparatus and equipment of a kind used in photographic or cinematographic laboratories, not falling within any other heading in this Chapter; photo-copying apparatus (whether incorporating an optical system or of the contact type) and thermo-copying apparatus; screens for projectors:	
1.	Apparatus and equipment, photographic or cinematographic, of a kind used for developing, printing and other treatment of sensitised materials; parts and accessories thereof:	
	Apparatus and equipment, used for developing, printing and other treatment of sensitised materials	
	10%	Free*
Other	10%	4%
2. Other:		
	Copying apparatus other than contact type photo-copying apparatus	
	7.5%	Free*
	Parts and accessories of photo-copying apparatus or thermo-copying apparatus	
	7.5%	Free*
Other	7.5%	4%

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item 90.13

The item shall read:

<p>▪ 90.13</p>	<p>Optical appliances and instruments (but not including lighting appliances other than searchlights or spotlights), not falling within any other heading of this Chapter; lasers other than laser diodes:</p>		
	For laboratory uses	15%	5.7%
	Other	15%	Free* ▪

Item 90.14

The item shall read:

<p>▪ 90.14</p>	<p>Surveying (including photogrammetrical surveying), hydrographic, navigational, meteorological, hydrological and geophysical instruments; compasses; rangefinders:</p>		
	Meteorological, hydrological and geophysical instruments for laboratory uses; and parts and accessories thereof	7.5%	Free*
	Compasses and parts and accessories thereof; altimeters	7.5%	4.2%
	Other	10%	4.8% ▪

Item 90.17

The item shall read:

<p>▪ 90.17</p>	<p>Medical, dental, surgical and veterinary instruments and appliances (including electro-medical apparatus and ophthalmic instruments):</p>
----------------	--

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Medical, surgical (including anaesthetic) or veterinary instruments and appliances excluding the following: electric apparatus other than those for surgical purposes; needling, forceps, knives, hand saws, scissors, and other hand-held instruments, for surgical purposes), and parts and accessories thereof; instruments and appliances merely driven by electric motor, excluding those for dental purposes:

For surgical use:

Electro-medical apparatus (excluding apparatus merely driven by electric motor), and parts and accessories thereof	7.5%	4.9%
Other	7.5%	Free*
For veterinary use	7.5%	4.9%
Other	7.5%	3.9%*

Electro-medical apparatus (excluding apparatus merely driven by electric motor), and parts and accessories thereof, excluding those for surgical use; dental instruments and appliances; needling, forceps, knives, hand saws, scissors and other hand-held instruments for surgical purposes, and parts and accessories thereof:

Dental instruments and appliances and parts and accessories thereof:

Electro-dental apparatus (excluding apparatus merely driven by electric motor) and parts and accessories thereof	10%	5.8%
Other	10%	Free*

GENEVA (1979) PROTOCOL  
SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Electro-medical apparatus and parts  
and accessories thereof:

Ultrasonic diagnostic equipment	10%	4.6%*
Other	10%	5.8%
Other	10%	5.8%
Other:		
For veterinary use	10%	4.9%
Other	10%	3.9%* *

Item 90.18

The item shall read:

- 90.18 Mechano-therapy appliances; massage apparatus; psychological aptitude-testing apparatus; artificial respiration, ozone therapy, oxygen therapy, aerosol therapy or similar apparatus; breathing appliances (including gas masks and similar respirators):

Medical or surgical instruments and appliances (excluding electric apparatus other than those for surgical purposes); and parts and accessories thereof; instruments and appliances merely driven by electric motor:

Appliances and apparatus for artificial respiration, ozone therapy, oxygen therapy, aerosol therapy or similar apparatus	7.5%	Free*
Other	7.5%	4.9%
Other:		
Appliances and apparatus for artificial respiration, ozone therapy, oxygen therapy, aerosol therapy or similar apparatus	10%	Free*
Other	10%	4.9% *

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Item 90.19

The item shall read:

- 90.19 Orthopaedic appliances, surgical belts, trusses and the like; splints and other fracture appliances; artificial limbs, eyes, teeth and other artificial parts of the body; hearing aids and other appliances which are worn or carried, or implanted in the body, to compensate for a defect or disability:

Hearing aids, and parts and accessories thereof; artificial teeth

7.5% 4%

Other

7.5% Free\* ▪

Item 90.20

The item shall read:

- 90.20 Apparatus based on the use of X-rays or of the radiations from radio-active substances (including radiography and radiotherapy apparatus); X-ray generators; X-ray tubes; X-ray screens; X-ray high tension generators; X-ray control panels and desks; X-ray examination or treatment tables, chairs and the like:

1. Apparatus based on the use of the radiations from radio-active substances; parts and accessories thereof:

For laboratory use

7.5% 4.6%\*

Other

10% 4.6%\*

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

2. Other:

For laboratory use	7.5%	3.4%*
For medical use:		
Computed tomographic scanner	10%	Free*
Other	10%	5.8%
Other	10%	3.4%*   ▪

Item 90.24

The item shall read:

- 90.24 Instruments and apparatus for measuring, checking or automatically controlling the flow, depth, pressure or other variables of liquids or gases, or for automatically controlling temperature, (for example, pressure gauges, thermostats, level gauges, flow meters, heat meters, automatic oven-draught regulators), not being articles falling within heading No. 90.14:

Instruments and apparatus for automatically controlling the flow, depth, pressure or other variables of liquids or gases and automatic temperature controlling apparatus	7.5%	Free*
Other	7.5%	4.9%   ▪

Item 90.28

The item shall read:

- 90.28 Electrical measuring, checking, analysing or automatically controlling instruments and apparatus:

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

1. Described in Note 5(a) to this  
Chapter:

Oscilloscopes designed for use at frequencies not less than 30 MHz, vacuum tube voltmeters designed for use at frequencies not less than 100 MHz, frequency measuring apparatus designed for use at frequencies not less than 100 MHz, microwave measuring sets designed for use at frequencies not less than 1,000 MHz, noise level meters, electric field intensity meters, admittance bridges, impedance bridges and electronic frequency or period counters:

Oscilloscopes designed for use at frequencies not less than 30 MHz; microwave measuring sets designed for use at frequencies not less than 1,000 MHz, noise level meters, electric field intensity meters, admittance bridges, impedance bridges, of electronic type

15% Free\*

Other

15% 4.9%

Other:

Voltmeters (excluding vacuum tube voltmeters designed for use at frequencies not less than 100 MHz) and ammeters, and similar electrical indicating meters other than electronic type; frequency measuring apparatus designed for use at frequencies less than 100 MHz

7.5% 4.9%

Other

7.5% Free\*

2. Described in Note 5.(b) to this  
Chapter:

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

Dimension measuring apparatus (excluding micrometers and microindicators) and dynamometers (electronic type)	7.5%	Free*
Other	7.5%	Free*
3. Described in Note 5.(c) to this Chapter	10%	Free*
4. Described in Note 5.(d) to this Chapter:		
Automatic voltage regulators, of electronic type, and automatic regulators of temperature, liquid level or flow	7.5%	4.9%
Other	7.5%	Free*

Item 92.12

The item shall read:

92.12	Gramophone records and other sound or similar recordings; matrices for the production of records, prepared record blanks, film for mechanical sound recording, prepared tapes, wires, strips and like articles of a kind commonly used for sound or similar recording:		
	1. Gramophone records:		
	(1) Phonosheets and the like	10%	1.9%*
	(2) Other:		
	A. Not more than 40 r.p.m. and not more than 20 cm in diameter	85 yen/ piece	6.4% or 10 yen 40 sen/ piece, whichever is the less *

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

B. Not more than 40 r.p.m. and more than 20 cm in diameter	85 yen/ piece	15 yen 60 sen/piece *
C. More than 40 r.p.m. but not more than 50 r.p.m.	35 yen/ piece	6 yen 40 sen/piece *
D. More than 50 r.p.m.	28 yen/ piece	8 yen 40 sen/piece *
2. Matrices for the production of gramophone records (including record blanks)	7.5%	1.7%*
3. Other:		
(1) Recorded	7.5%	1.7%*
(2) Other:		
Tapes for sound-recording	7.5%	Free*
Other	10%	Free* *

Item ex 97.04

The sub-item 3. shall read:

3. Other:		
Bowling ball	15%	5.7%
Other	15%	Free* *

Item 97.06

The item shall read:

- \* 97.06 Appliances, apparatus, accessories and requisites for gymnastics or athletics, or for sports and outdoor games (other than articles falling within heading No. 97.04):

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

1. Appliances, apparatus, accessories and requisites for outdoor games; parts and accessories thereof	15%	Free*
2. Skis; parts and accessories thereof:		
Skis	10%	2.4%*
Parts and accessories	10%	2.4%*
3. Other:		
Golf requisites and parts and accessories thereof	10%	Free*
Lawn-tennis rackets, whether or not strung; metal bat	10%	Free*
Other	10%	4.8%*

Item ex 98.03

The sub-item 1.(1) shall read:

- 1. Fountain pens, stylograph pens and pencils, ball point pens and pencils, propelling pencils and sliding pencils:
    - (1) With holders or caps, made of, or combined with, precious metals, rolled precious metals, metals plated with precious metals, precious or semi-precious stones, pearls, coral, elephants' tusks or Bekko
- |  |     |       |
|--|-----|-------|
|  | 20% | Free* |
|--|-----|-------|

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN

PART I (continued)

- 1/ The rate shall be effective until 31 March 1987.
- 2/ The rate shall be effective from 1 April 1987.
- 3/ The rate shall be effective from 1 April 1987 until 31 March 1988.
- 4/ The rate shall be effective from 1 April 1988.
- 5/ The rate shall be effective from 1 January 1988.

Note : Asterisk (\*) indicates the rate of duty has been changed as a result of Article XXVIII negotiations contained in Secret/319/Add.1, Add.2.

With regard to the changed rates of duty with asterisks contained in the part of Geneva (1979) Protocol, the staging of tariff reduction specified in the Protocol is not applicable.

## GENEVA (1979) PROTOCOL

## SCHEDULE XXXVIII - JAPAN

PART I (Continued)

Japanese list of products covered by the Agreement on Trade in Civil Aircraft

Notes: For the purpose of this list, "ex" means that for each CCCN heading listed below, the corresponding named products (or groups of products) will be accorded duty-free or duty-exempt treatment, if they are for use in civil aircraft and incorporation therein.

"Flight simulators and parts thereof, ex 88.05" are accorded such treatment, though they do not have to be incorporated in civil aircraft.

- ex 39.07 Articles of plastic materials, for technical uses
- ex 40.09 Tubes and pipes, of unhardened vulcanised rubber, with attached fittings, suitable for conducting gases or liquids
- ex 40.11 Pneumatic tyres, of rubber
- ex 40.14 Articles of unhardened vulcanised rubber, for technical uses
- ex 40.16 Tubes and pipes of hardened rubber, with attached fittings, suitable for conducting gases or liquids
- ex 62.05 Escape chutes
- ex 68.13 Articles of asbestos, excluding thread and fabric
- ex 68.14 Friction material (segments, discs, washers, strips, sheets, plates, rolls and the like) of a kind suitable for brakes, for clutches or the like, with a basis of asbestos or other mineral substances
- ex 70.08 Windshields of safety glass, not framed

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

- ex 73.18 Tubes and pipes of iron (other than of cast iron) or steel, with attached fittings, suitable for conducting gases or liquids
- ex 73.25 Stranded wire, cables, cordage, ropes, plaited bands, slings and the like, of iron or steel wire, fitted with fittings, or made up into articles
- ex 73.38 Sanitary ware, excluding parts thereof, of iron or steel
- ex 76.06 Tubes and pipes of aluminium, with attached fittings, suitable for conducting gases or liquids
- ex 81.04 Tubes and pipes of titanium, with attached fittings, suitable for conducting gases or liquids
- ex 83.02 Base metal fittings and mountings (including hinges and automatic door closers)
- ex 83.07 Lamps and lighting fittings, and parts thereof, of base metal (excluding articles falling within Chapter 85 except heading 85.22)
- ex 83.08 Flexible tubing and piping, of base metal, with attached fittings
- ex 84.06 Internal combustion piston engines, and parts thereof
- ex 84.07 Hydraulic engines and motors, and parts thereof
- ex 84.08 Non-piston internal combustion engines, and parts thereof; other engines and motors, and parts thereof
- ex 84.10 Pumps for liquids, whether or not fitted with measuring devices, and parts thereof
- ex 84.11 Air pumps, vacuum pumps; air or gas compressors; fans, blowers and the like; parts of the foregoing
- ex 84.12 Air conditioning machines, self-contained, comprising a motor-driven fan and elements for changing the temperature and humidity of air; parts thereof

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN  
PART I (Continued)

- ex 84.15 Refrigerators and refrigerating equipment (electrical and other), excluding parts thereof
- ex 84.17 Heat exchange units, and parts thereof
- ex 84.18 Centrifuges; filtering and purifying machinery and apparatus, for liquids or gases; the foregoing excluding parts thereof
- ex 84.21 Fire extinguishers (charged or not), excluding parts thereof
- ex 84.22 Elevators (lifts), hoists, winches, cranes, jacks, pulley tackle, belt conveyors and other lifting, handling, loading or unloading machinery, and conveyors; the foregoing excluding parts thereof
- ex 84.53 Automatic data processing machines and units thereof
- ex 84.59 Following products and parts thereof:
- Non-electric starter motors,
  - Propellor regulators, non-electric,
  - Servo-mechanisms, non-electric,
  - Windscreen wipers, non-electric,
  - Hydraulic servo-motors, non-electric,
  - Hydropneumatic spherical batteries,
  - Pneumatic starters for jet engines,
  - Toilet units specially designed for aircraft,
  - Mechanical actuators for thrust reversers,
  - Air humidifiers and dehumidifiers
- ex 84.63 Transmission shafts, cranks, bearing housings, plain shaft bearings, gears and gearing (including friction gears and gear-boxes and other variable speed gears), flywheels, pulleys and pulley blocks, clutches and shaft couplings; parts of the foregoing

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN

PART I (Continued)

- ex 84.64 Gaskets and similar joints of metal sheeting combined with other material (for example, asbestos, felt and paperboard) or of laminated metal foil; sets or assortments of gaskets and similar joints, dissimilar in composition, for engines, pipes, tubes and the like, put up in pouches, envelopes or similar packings
- ex 85.01 Transformers, excluding parts thereof  
Electrical motors of 1 or more, but under 200 HP, excluding parts thereof  
Generators, motor-generators, converters (rotary or static), rectifiers and rectifying apparatus, inductors; the foregoing excluding parts thereof
- ex 85.04 Electric accumulators and parts thereof
- ex 85.08 Electrical starting and ignition equipment for internal combustion engines (including ignition magnetos, magneto-dynamos, ignition coils, starter motors, sparking plugs and glow plugs); generators (dynamos and alternators) and cut-outs for use in conjunction with such engines; the foregoing excluding parts thereof
- ex 85.12 Cooking stoves and ranges, electric; furnaces, heaters, ovens, electric; food warmers, electric; the foregoing excluding parts thereof
- ex 85.14 Microphones and stands therefor; loudspeakers, audio-frequency electric amplifiers; the foregoing excluding parts thereof
- ex 85.15 Solid-state (tubeless) radio receivers, excluding parts thereof  
Other radio-telegraphic and radio-telephonic transmission and reception apparatus, excluding parts thereof  
Radio navigational aid apparatus, radar apparatus and radio remote control apparatus; assemblies and sub-assemblies of such apparatus, consisting of two or more parts or pieces fastened or joined together, specially designed for installation in civil aircraft
- ex 85.17 Electric sound or visual signalling apparatus, excluding parts thereof

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN

PART I (Continued)

- ex 85.20 Sealed beam lamps, excluding parts thereof
- ex 85.22 Flight recorders and assemblies and sub-assemblies thereof, consisting of two or more parts or pieces fastened or joined together, specially designed for installation in civil aircraft .
- ex 85.23 Ignition wiring sets and wiring sets designed for use in civil aircraft
- ex 88.01 Balloons and airships
- ex 88.02 Gliders  
Flying machines, including helicopters
- ex 88.03 Parts of balloons, airships, gliders, flying machines and helicopters
- ex 88.05 Flight simulators and parts thereof
- ex 90.01 Lenses, prisms, mirrors and other optical elements, of any material, unmounted, other than such elements of glass not optically worked
- ex 90.02 Lenses, prisms, mirrors and other optical elements, of any material, mounted, being parts of or fittings for instruments or apparatus, other than such elements of glass not optically worked
- ex 90.14 Automatic pilots and parts thereof  
Optical navigational instruments, excluding parts thereof  
Other navigational instruments, and parts thereof  
Gyroscopic compasses and parts thereof  
Other compasses, excluding parts thereof
- ex 90.18 Gas masks and similar respirators, excluding parts thereof
- ex 90.23 Thermometers
- ex 90.24 Instruments and apparatus for measuring, checking or automatically controlling the flow, depth, pressure or other variables of liquids or gases, or for automatically controlling temperature
- ex 90.27 Speed indicators and tachometers

GENEVA (1979) PROTOCOL

SCHEDULE XXXVIII - JAPAN

PART I (Continued)

- ex 90.28 Automatic flight control instruments and apparatus  
Other electrical measuring, checking, analysing or automatically controlling instruments and apparatus
- ex 90.29 Parts or accessories suitable for use solely or principally with one or more of the articles falling within heading No. 90.23, 90.24, 90.27 or 90.28, in this list
- ex 91.03 Instrument panel clocks and clocks of a similar type, with watch movements; or with clock movements measuring less than 1.77 inches in width
- ex 91.08 Clock movements, assembled, without dials or hands, or with dials or hands whether or not assembled thereon; constructed or designed to operate for over 47 hours without rewinding, having over one jewel
- ex 94.01 Chairs and other seats (except leather covered chairs and seats), excluding parts thereof
- ex 94.03 Other furniture, excluding parts thereof