RESTRICTED
MTN/SEC/W/1/Add.2/Suppl.4
17 June 1975
Special Distribution

GENERAL AGREEMENT ON TARIFFS AND TRADE

Multilateral Trade Negotiations

Group "Sector Approach"

INFORMATION ON ORES AND METALS

Addendum

I.5 - List of Most-Favoured-Nation Duty Rates, GATT Bindings and GSP Status

Supplement

Country	Page
Malaysia	2
Mexico	17
Peru	31
Philippines	38
Romania	41

MALAYSIA

S.I.T.C.	Heading No.	Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia [Paragraph 2 (1) (a)] Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah [Paragraph 2 (1) (b)] Pref.
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	26.01	Metallic ores and concentrates and roasted iron pyrites:						
281 400	110	Roasted iron pyrites	Ton	Nil				
		Ores and concentrates:						
281 300-1	121	of iron..	Ton	Nil				
281 300-2	129	of haematite	Ton	Nil				
283 110	130	of copper	Ton	Nil				
283 210	150	of nickel	Ton	Nil				
283 300	180	of aluminium (bauxite) ..	Ton	Nil				
283 400	210	of lead..	Ton	Nil				
283 500	240	of zinc	Ton	Nil				
283 600	270	of tin	Ton	Nil				
283 700	300	of manganese	Ton	Nil				
283 910	330	of chromium	Ton	Nil				
		of tungsten:						
283 921	361	scheelite	Ton	Nil				
283 922	362	wolfram ore	Ton	Nil				

MALAYSIA

S.I.T.C.	Heading No.	Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah Pref.
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
283 929	369	other	Ton	Nil				
		of titanium:						
283 931	391	ilmenite (amang)	Ton	Nil				
283 932	399	other	Ton	Nil				
		of tantalum:						
283 934-1	421	Columbite	Ton	Nil				
283 934-2	429	other	Ton	Nil				
		of zirconium:						
283 935	451	zircon	Ton	Nil				
283 936	459	other	Ton	Nil				
283 937	480	of vanadium, molybdenum ..	Ton	Nil				
285 010	510	of silver, platinum and other metals of the platinum group	Ton	Nil				
		of thorium:						
286 001-1	541	monazite	Ton	Nil				
286 001-2	549	other	Ton	Nil				
286 002	570	of uranium	Ton	Nil				
971 006	600	of gold	Troy oz	2% (P)[1]				
283 991	700	of bismuth	Ton	Nil				
283 999	900	of other metals	Ton	Nil				
	26.03	Ash and residues (other than from the manufacture of iron or steel), containing metals or metallic compounds:						
284 011	100	Tin slag and hardhead of tin ..	Ton	Nil				
284 019	900	Other	Ton	Nil				
[illegible]	[illegible]	[illegible]	[illegible]	Nil				
	28.20	Aluminium oxide and hydroxide; artificial corundum:						
513 650	100	Aluminium oxide and hydroxide	Cwt	Nil				
513 660	500	Artificial corundum	Cwt	Nil				

[1] Letter (P) following the duty rate denotes duty extended to Penang.

MALAYSIA

S.I.T.C.	Heading No.		Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia [Paragraph 2 (1) (a)] Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah [Paragraph 2 (1) (b)] Pref.
	(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)
	73.01		Pig iron, cast iron and spiegeleisen, in pigs, blocks, lumps and similar forms:						
671 100		100	Spiegeleisen	Ton	Nil				
671 200		900	Other	Ton	$50.00				
	73.02		Ferro-alloys:						
671 400		100	Ferro-manganese	Ton	Nil				
671 500		900	Other	Ton	Nil				
	73.03		Waste and scrap metal of iron or steel:						
282 001		100	Tinplate waste and clippings ..	Ton	Nil				
282 009		900	Other	Ton	Nil				
671 310	73.04	000	Shot and angular grit, of iron or steel, whether or not graded; wire pellets of iron or steel	Ton	Nil				
	73.05		Iron or steel powders; sponge iron or steel:						
671 320		100	Iron or steel powders	Ton	Nil				
671 330		200	Sponge iron or steel	Ton	Nil				
	73.06		Puddled bars and pilings; ingots, blocks, lumps and similar forms, of iron or steel:						
672 100		100	Puddled bars and pilings; blocks, lumps and similar forms ..	Ton	Nil				

MALAYSIA

REPR

S.I.T.C.	Heading No.		Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia [Paragraph 2 (1) (a)] Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah [Paragraph 2 (1) (b)] Pref.
	(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)
672 310		200	Ingots	Ton	$50.00				
	73.07		Blooms, billets, slabs and sheet bars (including tinplate bars), of iron or steel; pieces roughly shaped by forging, of iron or steel:						
672 511		100	tinplate bars	Ton	$50.00				
672 519		900	other	Ton	$50.00				
672 710	73.08	000	Iron or steel coils for re-rolling ..	Ton	Nil				
674 140	73.09	000	Universal plates of iron or steel ..	Ton	Nil				
	73.10		Bars and rods (including wire rod), of iron or steel, hot-rolled, forged, extruded, cold-formed or cold-finished (including precision-made); hollow mining drill steel:						
673 110		100	Wire rod	Ton	$100 (P)				
			Other:						
673 211		910	flat	Ton	$100 (P)				
673 212		920	round	Ton	$100 (P)				
673 219		990	other	Ton	$100 (P)				
	73.11		Angles, shapes and sections, of iron or steel, hot-rolled, forged, extruded, cold-formed or cold-finished; sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements:						
673 410		110	Angles, other than slotted angles, 80 mm or more.. ..	Ton	Nil				
673 411		120	Shapes and sections, other than angles and slotted angles, 80 mm or more	Ton	Nil				
673 412		190	Sheet pilings	Ton	Nil				
673 510		200	Angles, other than slotted angles, less than 80 mm.. ..	Ton	$100 (P)				
673 512		290	Shapes and sections other than angles and slotted angles, less than 80 mm	Ton	Nil				
673 511		300	Slotted angles, roll-formed from pre-punched steel strips, whether painted or galvanised or not ..	Ton	Nil				

MALAYSIA

S.I.T.C.	Heading No.	Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah Pref.
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
675 010	73.12 000	Hoop and strip, of iron or steel, hot-rolled or cold-rolled	Ton	Nil				
	73.13	Sheets and plates, of iron or steel, hot-rolled or cold-rolled:						
674 701	100	Tinplate (tinned plates and sheets)	Ton	Nil				
		Other:						
674 110	200	more than 4.75 mm in thickness	Ton	Nil				
674 210	300	3 mm or more but not more than 4.75 mm in thickness ..	Ton	Nil				
		less than 3 mm in thickness: not plated, coated or clad:						
674 311	410	0.170 mm or less in thickness	Ton	3 cts per sq ft (P)				
674 312	450	other	Ton	Nil				
		plated, coated or clad:						
674 811	460	galvanised	Ton	3 cts per sq ft (P)				
674 819	490	other	Ton	Nil				
	73.14	Iron or Steel wire, whether or not coated, but not insulated:						
677 011	110	not exceeding 3.25 m.m. ..	Ton	$100 (P)				
677 012	120	exceeding 3.25 m.m. but not exceeding 6.5 m.m.	Ton	$100 (P)				
677 013	130	exceeding 6.5 mm but not exceeding 9.75 mm	Ton	$100 (P)				
677 014	140	exceeding 9.75 mm but not exceeding 13 mm	Ton	$100 (P)				
	73.15	Alloy steel and high carbon steel in the forms mentioned in heading Nos. 73.06 to 73.14:						
		Ingots:						
672 320	110	of high carbon steel	Ton	$50.00				
672 330	120	of alloy steel	Ton	$50.00				
		Blooms, billets, slabs, sheet bars and roughly forged pieces:						
672 520	210	of high carbon steel	Ton	$50.00				

MALAYSIA

REPRINT 2

S.I.T.C.	Heading No.	Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah Pref.	Sarawak [Paragraph 2 (1) (c)] Full	Sarawak Pref
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
672 530	220	of alloy steel	Ton	$50.00						
		Coils for recoiling:								
672 720	310	of high carbon steel	Ton	Nil						
672 730	320	of alloy steel	Ton	Nil						
		Wire rod:								
673 120	410	of high carbon steel	Ton	$100.00 (P)						
673 130	420	of alloy steel	Ton	$100.00 (F)						
		Bars and rods (excluding wire rod) and hollow mining drill steel:								
673 220	510	of high carbon steel	Ton	$100.00 (P)						
673 230	520	of alloy steel	Ton	$100.00 (P)						
		Angles, other than slotted angles, 80 mm or more:								
673 420	611	of high carbon steel	Ton	Nil						
673 430	612	of alloy steel	Ton	Nil						
		Shapes and sections, other than angles and slotted angles, 80 mm or more:								
673 421	618	of high carbon steel	Ton	Nil						
673 431	619	of alloy steel	Ton	Nil						
		Sheet piling:								
673 422	621	of high carbon steel	Ton	Nil						
673 432	629	of alloy steel	Ton	Nil						
		Angles, other than slotted angles, less than 80 mm:								
673 520	631	of high carbon steel	Ton	$100 (P)						
673 530	632	of alloy steel	Ton	$100 (P)						
		Shapes and sections, other than angles and slotted angles, less than 80 mm:								
673 522	638	of high carbon steel	Ton	Nil						
673 532	639	fo alloy steel	Ton	Nil						
		Slotted angles, roll-formed from pre-punched steel strips, whether painted or galvanised or not:								
673 521	650	of high carbon steel	Ton	Nil						
673 531	660	of alloy steel	Ton	Nil						
		Sheets and plates, more than 4.75 mm in thickness, and universal plates:								
674 120	710	of high carbon steel	Ton	Nil						
674 130	720	of alloy steel	Ton	Nil						
		Sheets and plates, 3 mm or more but not more than 4.75 mm in thickness:								
674 220	730	of high carbon steel	Ton	Nil						

MALAYSIA

S.I.T.C.	Heading No.	Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah Pref.
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
674 230	740	of alloy steel	Ton	Nil				
		Sheets and plates, less than 3 mm in thickness, not plated, coated or clad:						
674 320	750	of high carbon steel	Ton	Nil				
674 330	760	of alloy steel	Ton	Nil				
		Sheets and plates, less than 3 mm in thickness, plated, coated or clad:						
674 820	770	of high carbon steel	Ton	Nil				
674 830	780	of alloy steel	Ton	Nil				
		Hoop and strip:						
675 020	810	of high carbon steel	Ton	Nil				
675 030	820	of alloy steel	Ton	Nil				
		Wire:						
677 020	910	of high carbon steel	Ton	$100 (P)				
677 030	920	of alloy steel	Ton	$100 (P)				
	73.16	Railway and tramway track construction material of iron or steel, the following: rails, check-rails, switch blades, crossing pieces, point rods, rack rails sleepers, fish-plates chairs, chair-wedges, sole-plates (base plates), rail clips, bedplates, ties and other material specialised for joining or fixing rails:						
676 100	100	Rails	Ton	Nil				
676 200	900	Other	Ton	Nil				
678 100	73.17 000	Tubes and pipes, of cast iron ..	Ton	Nil				

MALAYSIA

S.I.T.C.	Heading No.	Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah Pref.	Sa [Paragra Full
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	73.18	Tubes and pipes and blanks therefor, of iron (other than of cast iron) or steel, excluding high pressure hydro-electric conduits:							
672 900	100	Blanks for tubes and pipes ..	Ton	Nil					
678 200	200	"Seamless" tubes and pipes ..	Ton	Nil					
		Other:							
678 310	910	4 inches and less in internal diameter	Ton	25% or $125 whichever is the higher (P)					
678 320	920	more than 4 inches but less than 6 inches in internal diameter	Ton	Nil					
678 330	930	6 inches and not more than 72 inches in internal diameter ..	Ton	15% (P)					
678 340	940	more than 72 inches in internal diameter	Ton	Nil					

MALAYSIA

	74.01		Copper matte; unwrought copper (refined or not); copper waste and scrap:		
213 120		100	Copper matte	Ton	Nil
214 020		200	Copper waste and scrap ..	Ton	Nil
682 110		300	Unrefined copper	Ton	Nil
682 120		400	Refined copper	Ton	Nil
682 130	74.02	000	Master alloys	Ton	Nil
	74.03		Wrought bars, rods, angles shapes and sections, of copper; copper wire:		
			Wire:		
682 211		110	of unalloyed copper	Ton	20% (P)
682 218		120	of brass	Ton	Nil
682 219		190	of other copper alloys ..	Ton	Nil
			Other:		
682 213		910	of unalloyed copper	Ton	Nil
682 214		920	of brass	Ton	Nil
682 215		930	of bronze	Ton	Nil
682 216		990	of other copper alloys ..	Cwt	Nil
	74.04		Wrought plates, sheets and strip, of copper:		
682 221		100	of unalloyed copper	Cwt	Nil
682 222		200	of brass	Ton	Nil
682 223		300	of bronze	Ton	Nil
682 224		900	of other copper alloys	Cwt	Nil
	74.05		Copper foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a thickness (excluding any backing) not exceeding 0.15 mm:		
682 231		100	of unalloyed copper	Cwt	Nil
682 233		200	of bronze	Ton	Nil
682 239		900	of other copper alloys	Cwt	Nil
682 240	74.06	000	Copper powders and flakes ..	Cwt	Nil

MALAYSIA

S.I.T.C.	Heading No.		Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah Pref.	Sarawak [Paragraph 2 (1) (c)] Full	Sarawak Pref.
	(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
	74.07		Tubes and pipes and blanks therefor, of copper; hollow bars of copper:								
682 251		100	of unalloyed copper	Ton	Nil						
682 252		200	of brass	Ton	Nil						
682 253		300	of bronze	Ton	Nil						
682 254		900	of other copper alloys	Cwt	Nil						
	74.08		Tube and pipe fittings (for example, joints, elbows, sockets and flanges) of copper:								
682 261		100	of unalloyed copper	Ton	Nil						
682 262		200	of brass	Ton	Nil						
682 263		300	of bronze	Ton	Nil						
682 264		900	of other copper alloys	Cwt	Nil						
	75.01		Nickel mattes, nickel speiss and other intermediate products of nickel metallurgy; unwrought nickel (excluding electro-plating anodes); nickel waste and scrap:								
283 220		100	Nickel mattes, nickel speiss and other intermediate products of nickel metallurgy	Ton	Nil						
284 030		200	Nickel waste and scrap ..	Ton	Nil						
			Unwrought nickel:								
683 110		310	unalloyed	Ton	Nil						
683 120		320	alloyed	Ton	Nil						
683 210	75.02	000	Wrought bars, rods, angles, shapes and sections, of nickel; nickel wire	Cwt	Nil						
683 220	75.03	000	Wrought plates, sheets and strip, of nickel; nickel foil; nickel powders and flakes	Cwt	Nil						
683 230	75.04	000	Tubes and pipes and blanks therefor, of nickel; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of nickel	Cwt	Nil						
683 240	75.05	000	Electro-plating anodes, of nickel, wrought or unwrought, including those produced by electrolysis ..	Cwt	Nil						

	76.01		Unwrought aluminium; aluminium waste and scrap:		
684 040		100	Aluminium waste and scrap ..	Ton	Nil
			Unwrought aluminium:		
684 101		210	Slugs, round	Lb	30 cts
			Other:		
684 102		291	unalloyed	Ton	Nil
684 103		292	alloyed	Ton	Nil
	76.02		Wrought bars, rods, angles, shapes and sections, of aluminium; aluminium wire:		
			Aluminium wire:		
684 211		110	unalloyed	Ton	30% (P)
684 213		160	alloyed	Ton	30% (P)
684 212		900	Other	Ton	Nil
	76.03		Wrought plates, sheets and strip, of aluminium:		
684 222		100	Plates	Cwt	35 cts per lb (P)
684 221		200	Sheets and strip	Ton	35 cts per lb (P)
684 230	76.04	000	Aluminium foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a thickness (excluding any backing) not exceeding 0.20 mm.	Lb	Nil
684 240	76.05	000	Aluminium powders and flakes ..	Lb	Nil
684 250	76.06	000	Tubes and pipes and blanks therefor, of aluminium; hollow bars of aluminium	Cwt	Nil
684 260	76.07	000	Tube and pipe fittings (for example, joints, elbows, sockets and flanges), of aluminium	Ton	Nil

MALAYSIA

S.I.T.C.	Heading No.		Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (a)]	West Malaysia [Paragraph 2 (1) (a)]	Sabah [Paragraph 2 (1) (b)]	Sarawak [Paragraph 2 (1) (c)]
	77.01		Unwrought magnesium; magnesium waste (excluding shavings of uniform size) and scrap:					
284 050		100	Magnesium waste and scrap ..	Ton	Nil			
			Unwrought magnesium:					
689 311		210	unalloyed	Ton	Nil			
689 312		220	alloyed	Ton	Nil			
689 320	77.02	000	Wrought bars, rods, angles, shapes and sections, of magnesium; magnesium wire; wrought plates, sheets and strip, of magnesium; magnesium foil; raspings and shavings of uniform size, powders and flakes, of magnesium; tubes and pipes and blanks therefor, of magnesium; hollow bars of magnesium	Ton	Nil			
	78.01		Unwrought lead (including argentiferous lead); lead waste and scrap:					
284 050		100	Lead waste and scrap	Ton	Nil			
			Unwrought lead:					
685 110		210	unalloyed	Ton	Nil			
685 120		220	alloyed	Ton	Nil			
685 210	78.02	000	Wrought bars, rods, angles, shapes and sections, of lead; lead wire ..	Ton	Nil			
685 220	78.03	000	Wrought plates, sheets and strip, of lead	Cwt	Nil			
685 230	78.04	000	Lead foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a weight (excluding any backing) not exceeding 1,700 grams per square metre; lead powders and flakes ..	Cwt	Nil			
685 240	78.05	000	Tubes and pipes and blanks therefor, of lead; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets, flanges and S-bends), of lead	Cwt	Nil			

MALAYSIA

S.I.T.C.	Heading No.		Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia [Paragraph 2 (1) (a)] Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah [Paragraph 2 (1) (b)] Pref.
	(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)
	79.01		Unwrought zinc; zinc waste and scrap:						
284 070		100	Zinc waste and scrap	Ton	Nil				
			Unwrought zinc:						
686 110		210	unalloyed	Ton	Nil				
686 120		220	alloyed	Ton	Nil				
686 210	79.02	000	Wrought bars, rods, angles, shapes and sections, of zinc; zinc wire ..	Ton	Nil				
	79.03		Wrought plates, sheets and strip, of zinc; zinc foil; zinc powders and flakes:						
284 080		100	Zinc dust (blue powder) ..	Ton	Nil				
686 221		200	Wrought sheets and strip ..	Ton	15%				
686 222		900	Other	Ton	Nil				
686 230	79.04	000	Tubes and pipes and blanks therefor, of zinc; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of zinc	Ton	Nil				

S.I.T.C.	Heading No.		Description	Unit of Quantity	IMPORT DUTY: Federation Common Tariff [Paragraph 2 (1) (d)]	West Malaysia [Paragraph 2 (1) (a)] Full	West Malaysia Pref.	Sabah [Paragraph 2 (1) (b)] Full	Sabah Pref.	Sarawak [Paragraph 2 (1) (c)] Full	Sarawak Pref.
	(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
			polished or coated, provided that they do not thereby assume the character of articles or of products falling within other headings. 2. Heading No. 80.05 is to be taken to apply, *inter alia*, to tubes, pipes, hollow bars and tube and pipe fittings which have been polished or coated, or which have been shaped or worked, such as bent, coiled, threaded, drilled, waisted, cone-shaped or finned.								
	80.01		Unwrought tin; tin waste and scrap:								
284 090		100	Tin waste and scrap	Ton	Nil						
			Unwrought tin:								
687 101		210	unalloyed	Ton	Nil						
			alloyed:								
687 102		221	Babbitt metal	Ton	Nil						
687 103		222	Solder	Cwt	Nil						
687 109		229	Other	Ton	Nil						
687 210	80.02	000	Wrought bars, rods, angles, shapes and sections, of tin; tin wire ..	Ton	Nil						
687 220	80.03	000	Wrought plates, sheets and strip, of tin	Ton	Nil						
687 230	80.04	000	Tin foil (whether or not embossed, cut to shape, perforated, coated printed, or backed with paper or other reinforcing material), of a weight (excluding any backing) not exceeding 1 kilogram per square metre; tin powders and flakes	Ton	Nil						
687 240	80.05	000	Tubes and pipes and blanks therefor, of tin; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges) of tin	Ton	Nil						

MALAYSIA

Source: The International Customs Journal, Number 12, 2nd Edition and Supplements No 1 and 2.

Tariff: Customs Tariff, Year 1971-1972.

Note: For explanations concerning the type of duty and the relevant provisions, see the original source.

MEXICO

Heading No.		Description of goods		Duty rates Specific P.C.	Ad valorem %
26.01		Metallic ores and concentrates and roasted iron pyrites:			
	A	Metallic:			
	001	Bauxite, uncalcined	K.G.	0.15 +	80 %
	002	Bauxite, calcined	100 K.G.	0.30	Free
	003	Iron ore and concentrates	K.G.	Free	Free
	005	Gold ore and concentrates	K.G.	Free	Free
26.01 A (*Ctd.*):					
	006	Silver ore and concentrates	K.G.	Free	Free
	007	Platinum ore and concentrates	K.G.	Free	Free
	009	Chromium ore (chromite) containing 30 % or more but not more than 42 % of chromium oxide	K.G.	Free	12 %
	010	Chromium ore (chromite) containing more than 42 % but not more than 46 % of chromium oxide	K.G.	Free	12 %
	011	Chromium ore (chromite containing more than 46 % but not more than 55 % of chromium oxide	K.G.	Free	12 %
	012	Tin ore and concentrates (duty to be levied on metal content)	K.N.	Free	2 %
	013	Molybdenite	K.G.	0.04 +	8 %
	014	Manganese ore containing more than 45 % of manganese	K.G.	Free	30 %
	999	Other	K.G.	Free	35 %
26.03		Ash and residues (other than from the manufacture of iron or steel), containing metals or metallic compounds:			
	A	Containing metals or metallic compounds:			
	001	Impure cobalt oxides	K.G.	0.05 +	20 %
	002	Spent catalysts, usable for the extraction of nickel	K.G.	0.05 +	12 %
	003	Concentrated ferro-titanium ore containing more than 65 % of combined titanium expressed as titanium oxide	K.G.	Free	8 %
	004	Ash and concentrated residues of cadmium resulting from the refining of lead, containing from 20 % to 80 % of cadmium, from 2 % to 15 % of zinc, from 4 % to 20 % of lead and from 1 % to 10 % of arsenic, in the form of oxides, sulphides, sulphates and chlorides	K.G.	0.05 +	20 %
	005	Concentrates resulting from the de-tinning of tin, containing from 25 % to 65 % of stannic oxide	K.G.	Free	5 %
	999	Other	K.G.	0.05 +	20 %
28.20		Aluminium oxide and hydroxide; artificial corundum:			
	A	Aluminium oxide and hydroxide; artificial corundum:			
	001	Aluminium oxide	K.G.	0.02 +	3 %
	002	Aluminium hydroxide	K.G.	0.15 +	15 %
	003	Artificial corundum	K.G.	0.15 +	15 %

MEXICO

					ad val.
73.01		Pig iron, cast iron and spiegeleisen, in pigs, blocks, lumps and similar forms:			
	A	Pig iron, cast iron and spiegeleisen:			
	001	Pigs, blocks, lumps and similar forms	K.G.	Free	12 %
73.02		Ferro-alloys:			
	A	Ferro-alloys:			
	001	Ferro-manganese	K.G.	Free	20 %
	002	Ferro-silicon	K.G.	Free	8 %
	003	Ferro-chromium	K.G.	Free	%
	004	Ferro-molybdenum	K.G.	Free	8 %
	005	Ferro-vanadium	K.G.	Free	8 %
	008	Ferro-nickel	K.G.	Free	10 %
	999	Other	K.G.	Free	8 %
73.03		Waste and scrap metal of iron or steel:			
	A	Waste and scrap metal:			
	001	Of tins of an official price of $1.00 per 100 kg.	K.G.	Free	3 %
	002	Unserviceable railway rolling-stock wheels	100 K.G.	Free	3 %
	003	Filings, shavings and offcuts, of an official price of $37.5 per 100 kg.	100 K.G.	Free	3 %
	004	Compressed packets	100 K.G.	Free	3 %
	005	Not compressed	100 K.G.	Free	3 %
	006	Of tins, of an official price of $0.48 per 100 kg.	K.G.	Free	4 %
	007	Filings, shavings and offcuts, of an official price of $45.00 per 100 kg.	100 K.G.	Free	8 %
	008	Of automobile bodies and/or chassis	K.G.	Free	4 %
	999	Other	K.G.	Free	10 %
73.04		Shot and angular grit, of iron or steel, whether or not graded; wire pellets of iron or steel:			
	A	Shot and angular grit:			
	001	Shot	K.G.	0.03 +	10 %
	002	Other	K.G.	Free	10 %
73.05		Iron or steel powders; sponge iron or steel:			
	A	Powders; sponge iron or steel:			
	001	Powders	K.G.	Free	15 %
	002	Sponge iron or steel	K.G.	Free	35 %
73.06		Puddled bars and pilings; ingots, blocks, lumps and similar forms, of iron or steel:			
	A	Puddled bars and pilings; ingots, blocks, lumps and similar forms:			
	001	Puddled bars and pilings	K.G.	Free	35 %
	002	Ingots, blocks, lumps and similar forms	K.G.	Free	15 %
73.07		Blooms, billets, slabs and sheet bars (including tinplate bars), of iron or steel; pieces roughly shaped by forging, of iron or steel:			
	A	Blooms, billets, slabs and sheet bars:			
	001	Blooms and billets	K.G.	Free	15 %
	002	Slabs and sheet bars	K.G.	Free	25 %
	B	Pieces roughly shaped by forging:			
	001	Pieces roughly shaped by forging	K.G.	Free	25 %
73.08		Iron or steel coils for re-rolling:			
	A	Coils for re-rolling:			
	001	Coils for re-rolling	K.G.	Free	25 %
73.09		Universal plates of iron or steel:			
	A	Universal plates:			
	001	Universal plates, whether or not clad with alloy steel	K.G.	Free	25 %
73.10		Bars and rods (including wire rod), of iron or steel, hot-rolled, forged, extruded, cold-formed or cold-finished (including precision-made); hollow mining drill steel:			
	A	Bars and rods, and hollow bars:			
	001	Bars and rods, rectified or machined	K.G.	Free	15 %
	003	Bars and rods, not rectified or machined	K.G.	Free	15 %
	005	Hollow mining drill steel	K.G.	Free	5 %
	017	Bars and rods, coated with aluminium or copper	K.G	Free	10 %
73.11		Angles, shapes and sections, of iron or steel, hot-rolled, forged, extruded, cold-formed or cold-finished; sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements:			
	A	Angles, shapes and sections and sheet piling:			
	001	Of a minimum thickness of 3 mm., a width of 30 cm. or less and a length of 13 metres or less	K.G.	Free	10 %
	002	Girders and beams, whether or not drilled, punched or specially cut	K.G.	Free	25 %

MEXICO

					ad val.
73.11 *(Ctd.)* :					
	005	Angles, shapes and sections, platinised, gilt or silvered	K.G.	Free	35 %
	006	Sheet piling	K.G.	Free	35 %
	999	Other	K.G.	Free	45 %
73.12		Hoop and strip, of iron or steel, hot-rolled or cold-rolled :			
A		Hoop and strip :			
	003	Of a width exceeding 15 cm.	K.G.	Free	5 %
	004	Of a width of 6 cm. or less	K.G.	Free	15 %
	010	Coated with silicone varnish	K.G.	Free	5 %
	011	Coated with a lead-antimony-tin alloy	K.G.	Free	15 %
	012	Coated with a copper-lead alloy	K.G.	Free	15 %
	014	Electrolytically coated with copper on both sides and polished, incorporating not more than 5 % of copper, of a width of 10 cm. or less and a thickness not exceeding 0.6 mm.	K.G.	Free	5 %
	015	Of a width exceeding 6 cm. but not exceeding 15 cm.	K.G.	Free	15 %
	016	Clad with aluminium or aluminium alloy	K.G.	Free	35 %
73.13		Sheets and plates, of iron or steel, hot-rolled or cold-rolled :			
A		Not further worked than rolled :			
	001	Of a thickness of 4 mm. or less	K.G.	Free	5 %
	999	Other	K.G.	Free	10 %
B		Coated or otherwise worked :			
	001	Tinned (tin-plate), whether or not varnished, unworked	K.G.	Free	15 %
	002	Tinned (tin-plate), other than those falling within subheading 73.13 B 001	K.G.	Free	20 %
	003	Channelled, of a thickness exceeding 3.5 mm.	K.G.	Free	5 %
	006	Coated with silicone varnish	K.G.	Free	5 %
	008	With perforations of any kind, the greatest dimension of the cross-section of which does not exceed 25 mm	K.G.	Free	5 %
	010	Channelled, of a thickness of 3.5 mm. or less	K.G.	Free	5 %
	013	Clad with stainless steel, of a thickness of 19 mm. or more but not more than 73 mm.	K.G.	Free	15 %
	014	Chromium plated	K.G.	Free	15 %
	999	Other	K.G.	Free	15 %
73.14		Iron or steel wire, whether or not coated, but not insulated :			
A		Neither coated nor otherwise worked :			
	005	Neither coated nor otherwise worked, other than those falling within A 006	K.G.	Free	15 %
	006	Of trapezoidal cross-section, the greatest dimension of which exceeds 1 mm.	K.G.	Free	35 %
B		Coated or otherwise worked :			
	001	High-resistance wire, of oval cross-section, tinned or galvanised, the greatest dimension of the cross-section of which does not exceed 3 mm	K.G.	0.10	+ 40 %
	002	High-resistance wire, of oval cross-section, tinned or galvanised, the greatest dimension of the cross-section of which exceeds 3 mm.	K.G.	0.15	+ 50 %
	003	Coated or clad with copper	K.G.	Free	15 %
	004	Coated or clad with nickel	K.G.	Free	15 %
	006	Tinned or galvanised	K.G.	Free	15 %
	009	Aluminium-coated	K.G.	Free	15 %
	012	Corrugated, the greatest dimension of the cross-section of which is 1 mm or less	K.G.	Free	15 %
	999	Other	K.G.	Free	20 %

MEXICO

				ad val.
73.15	Alloy steel and high carbon steel in the forms mentioned in headings No. 73.06 to 73.14:			
A	Alloy steel and high carbon steel in the following forms:			
001	Bars and rods, other than wire rod	K.G.	0.55 +	25 %
002	Cold-rolled hoop and strip, neither hardened, drilled nor punched, of a thickness of 0.3 mm. or less and a width of 17 cm. or less	K.G.	Free	5 %
004	Hoop and strip, other than those falling within subheading 73.15 A 002	K.G.	Free	5 %
005	Angles, shapes or sections	K.G.	Free	15 %
006	Wire	K.G.	Free	15 %
007	Wire rod of circular cross-section, of a diameter of 18 mm. or less	K.G.	Free	15 %
999	Other	K.G.	Free	25 %
B	Stainless steel in the following forms:			
001	Bars and rods, the greatest dimension of the cross-section of which does not exceed 23 mm.	K.G.	0.60 +	10 %
002	Bars and rods, other than those falling within subheadings 73.15 B 001 and 008	K.G.	0.55 +	25 %
003	Cold-rolled hoop and strip, neither hardened, drilled nor punched, of a thickness of 0.3 mm. or less and a width of 17 cm. or less	K.G.	0.05 +	4 %
004	Sheets or strips of a thickness of 4 mm. or less	K.G.	0.55 +	5 %
005	Sheets or strips of a thickness exceeding 4 mm.	K.G.	Free	15 %
006	Hoop and strip of a thickness of 4 mm. or less, other than hoop and strip falling within subheading 73.15 B 003	K.G.	Free	8 %
007	Hoop and strip of a thickness exceeding 4 mm.	K.G.	1.50 +	5 %
008	Hollow bars	K.G.	0.50 +	8 %
009	Wire of a diameter of 5 mm. or less	K.G.	0.10 +	25 %
010	Wire containing not more than 37 % of nickel and 21 % or less of chromium	K.G.	0.05 +	5 %
011	Wire the greatest dimension of the cross-section of which does not exceed 9.8 mm.	K.G.	Free	20 %
999	Other	K.G.	1.50 +	25 %
C	Other alloy steel in the following forms:			
001	Bars and rods of steel containing 0.10 % or more of sulphur	K.G.	0.50 +	25 %
002	Bars and rods of high-speed steel	K.G.	0.55 +	25 %
003	Bars and rods of steel containing 0.15 % or more but not more than 0.33 % of lead, of hexagonal cross-section, the greatest dimension of the cross-section of which is 15.9 mm. or more but not more than 26.6 mm.	K.G.	0.50 +	25 %
004	Bars and rods, other than those falling within subheadings 73.15 C 001 to 003	K.G.	0.55 +	25 %
006	Hoop and strip of steel containing 2 % or more but not more than 2.6 % of silicon, of a width exceeding 15 cm., other than hoop and strip falling within subheadings 73.15 C 019 and 020	K.G.	1.50 +	10 %
007	Hoop and strip of steel containing more than 2.6 % of silicon, of a width exceeding 15 cm., other than hoop and strip falling within subheadings 73.15 C 019 and 020	K.G.	Free	10 %
013	Sheets and plates, other than those falling within subheading 73.15 C 019	K.G.	Free	5 %

MEXICO

					ad val.
73.15 *(Ctd.)* :					
	014	Hoop and strip, other than hoop and strip falling within subheadings 73.15 C 006, 007, 020 and 024	K.G.	Free	5 %
	018	Hollow bars of steel, of hexagonal cross-section, containing 0.5 % or more but not more than 1.05 % of chromium, the greatest external dimension of which is 19 mm. or more but not more than 38.1 mm.	K.G.	Free	15 %
	019	Oriented-grain sheets and plates containing more than 2.5 % of silicon, whether or not coated with inorganic materials, in coils, of a thickness of 0.45 mm. or less	K.G.	Free	5 %
	020	Oriented-grain hoop and strip containing more than 2.5 % of silicon, whether or not coated with inorganic materials, in coils, of a thickness of 0.45 mm. or less	K.G.	Free	5 %
	021	Brass-covered wire of a diameter of 1 mm. or less	K.G.	Free	15 %
	023	Wire, other than that falling within subheading 73.15 C 021	K.G.	Free	15 %
	024	Hoop and strip with rounded edges, containing in the aggregate more than 2 % but not more than 4 % of manganese and silicon	K.G.	Free	15 %
	999	Other	K.G.	Free	35 %
73.16		Railway and tramway track construction material of iron or steel, the following: rails, check-rails, switch blades, crossings (or frogs), crossing pieces, point rods, rack rails, sleepers, fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialised for joining or fixing rails:			
	A	Railway and tramway track construction material:			
	001	Rails, other than those falling within subheading 73.16 A 007	K.G.	Free	15 %
	002	Switch blades	K.G.	Free	15 %
	003	Crossing pieces and point rods	K.G.	Free	15 %
	004	Sleepers	K.G.	Free	15 %
	005	Wedges	K.G.	Free	15 %
	006	Rerailers	K.G.	Free	5 %
	007	Rails intended for re-rolling in rolling mills or blast furnaces subject to prior authorisation from the *Dirección General de Estudios Hacendarios de la Secretaría de Hacienda y Crédito Público*	K.G.	Free	5 %
	999	Other	K.G.	Free	20 %
73.17		Tubes and pipes, of cast iron:			
	A	Tubes and pipes:			
	001	Of an internal diameter of 35 cm or less	K.G.	Free	25 %
	002	Of an internal diameter exceeding 35 cm.	K.G.	Free	15 %
73.18		Tubes and pipes and blanks therefor, of iron (other than of cast iron) or steel, excluding high-pressure hydro-electric conduits:			
	A	Seamless, other than those falling within subheading B:			
	001	Seamless, cold-drawn, of an external diameter of 11 mm. and more but not more than 50 mm. and a wall thickness of between 3 mm. and 10 mm.	K.G.	Free	10 %
	003	Of a length of less than 1.5 metres, an external diameter of 7 mm. or less and an internal diameter not exceeding 3 mm.	K.G.	Free	10 %

MEXICO

73.18 (ctd)

				ad val.
004	Of stainless steel, of an external diameter of 3 mm. or more but not more than 115 mm. and a wall thickness of 0.56 mm. or more but not more than 6.2 mm.	K.G.	Free	10 %
005	Of stainless steel, of an external diameter of more than 115 mm. and a wall thickness of more than 6.2 mm.	K.G.	Free	10 %
006	Cold-drawn, of an external diameter of 120 mm. or more but not more than 180 mm. and of a wall thickness of 2.50 mm. or more but not more than 3.10 mm.	K.G.	Free	10 %
999	Other	K.G.	Free	20 %
	Hollow bars:			
001	Of an external diameter exceeding 32 mm. but not exceeding 45 mm. and a weight of 4 kg. or more per metre	K.G.	0.50 +	8 %
002	Of an external diameter exceeding 45 mm. but not exceeding 63 mm. and a weight of 6.5 kg. or more per metre	K.G.	0.50 +	8 %
003	Of an external diameter exceeding 63 mm. but not exceeding 80 mm. and a weight of 12 kg. or more per metre	K.G.	0.50 +	8 %
004	Of an external diameter exceeding 80 mm. but not exceeding 100 mm and a weight of 19 kg. or more per metre	K.G.	0.50 +	8 %
005	Of an external diameter exceeding 100 mm. but not exceeding 125 mm. and a weight of 27 kg. or more per metre	K.G.	0.50 +	8 %
006	Of an external diameter exceeding 125 mm. but not exceeding 150 mm. and a weight of 38 kg. or more per metre	K.G.	0.50 +	8 %
007	Of an external diameter exceeding 150 mm. but not exceeding 180 mm. and a weight of 150 kg. or more per metre	K.G.	0.50 +	8 %
008	Of an external diameter exceeding 180 mm. but not exceeding 225 mm. and a weight of 85 kg. or more per metre	K.G.	0.50 +	8 %
009	Of an external diameter exceeding 225 mm but not exceeding 250 mm. and a weight of 120 kg. or more per metre	K.G.	0.50 +	8 %
010	Of an external diameter exceeding 250 mm. but not exceeding 300 mm. and a weight of 120 kg. or more per metre	K.G.	0.50 +	8 %
999	Other	K.G.	1.50 +	25 %
	Welded:			
001	Ungalvanised, of iron or steel, of a diameter exceeding 13 mm. but not exceeding 52 mm. (other than those falling within subheading 73.18 C 016) and fulfilling the following conditions: length not exceeding 3 metres each, wall thickness not exceeding 2.5 mm., or coated internally or externally with anti-corrosive or stainless paints	K.G.	2.00 +	10 %
002	Galvanised	K.G.	0.30 +	55 %
005	Ungalvanised, of an internal diameter of 65 cm. or less, other than those falling within subheadings 73.18 C 011, 013 and 014	K.G.	0.50 +	15 %
007	Ungalvanised, of an internal diameter exceeding 65 cm., other than those falling within subheading 73.18 C 014	K.G.	0.01 +	7 %
009	Of iron or steel, coppered (Bundy type)	K.G.	1.50 +	25 %
010	Of iron or steel, coated with copper or copper alloys	K.G.	0.03 +	7 %

MEXICO

				ad val.
73.18 (*Ctd.*):				
011	Of sheet iron or steel, of an internal diameter of 30 cm. or less, perforated	K.G.	Free	45 %
012	Platinised, gilt or silvered	K.L.	0.50 +	40 %
013	Of iron or stainless steel, of an external diameter of 3 mm. or more but not more than 115 mm. and a wall thickness of 0.56 mm. or more but not more than 6.2 mm.	K.G.	5.00 +	20 %
014	Of iron or stainless steel, of an external diameter of more than 115 mm. and a wall thickness of more than 6.2 mm.	K.G.	1.50 +	5 %
015	Galvanised or ungalvanised, coated internally and/or externally with anti-corrosive or stainless synthetic or artificial plastic materials	K.G.	2.00 +	10 %
016	Rolled, aluminiumised but not galvanised, of an external diameter of 27 mm. or more but not more than 30 mm. and a wall thickness of 1.6 mm. or more but not more than 1.7 mm.	K.G.	1.00 +	15 %
999	Other	K.L.	Free	90 %
D	Open-seam and riveted and similarly fastened tubes and pipes:			
001	Open-seam tubes and pipes	K.L.	Free	35 %
999	Other	K.L.	Free	45 %
74.01	Copper matte; unwrought copper (refined or not); copper waste and scrap:			
A	Copper matte; unwrought copper:			
001	Anodes	K.G.	0.10 +	13 %
002	Electrolytic copper, other than that falling within subheading 74.01 A 001	K.G.	0.40 +	13 %

MEXICO

						ad val.
74.01 (*Ctd.*):						
	003	Ingots of bronze or brass	K.G.	0.10	+	25 %
	004	Argentan	K.G.	0.10	+	25 %
	999	Other	K.G.	5.00	+	25 %
B		Waste and scrap:				
	001	Of unalloyed copper	K.G.	0.10	+	13 %
	002	Of alloyed copper	K.G.	0.10	+	25 %
74.02		Master alloys:				
A		Master alloys:				
	001	Cupro-silicon containing more than 8 % of silicon	K.G.	5.00	+	25 %
	002	Cupro-manganese containing more than 69 % but not more than 71 % of copper, from 29 % to 31 % of manganese, up to 0.1 % of phosphorus and up to 0.05 % of other impurities	K.G.	5.00	+	25 %
	999	Other	K.G.	5.00	+	25 %
74.03		Wrought bars, rods, angles, shapes and sections, of copper; copper wire:				
A		Bars, rods, angles, shapes and sections:				
	002	Bars and rods of alloy copper	K.G.	Free		15 %
	003	Angles, shapes and sections of alloy copper	K.G.	Free		15 %
	004	Wire of alloy copper	K.G.	Free		15 %
	999	Other	K.G.	Free		25 %
74.04		Wrought plates, sheets and strip, of copper:				
A		Wrought plates, sheets and strip:				
	001	Of copper, bronze or brass	K.G.	Free		35 %
	004	Embossed or surface-patterned	K.G.	Free		35 %
	005	Platinised and smooth-surfaced for use in processing ores	K.G.	Free		3 %
	006	Of copper-silver alloy, containing 1 % or less of silver and of Vee cross-section	K.G.	Free		15 %
	999	Other	K.G.	Free		40 %
74.05		Copper foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a thickness (excluding any backing) not exceeding 0.15 mm.:				
A		Copper foil of a thickness not exceeding 0.15 mm.:				
	003	Whether or not coated with plastic materials on one surface	K.L.	Free		15 %
	004	Copper foil backed with insulating material for the manufacture of printed circuits	K.L.	Free		25 %
	999	Other	K.L.	Free		20 %
74.06		Copper powders and flakes:				
A		Copper powders and flakes:				
	001	Powders	K.G.	Free		15 %
	002	Flakes	K.L.	1.25	+	60 %
74.07		Tubes and pipes and blanks therefor, of copper; hollow bars of copper:				
A		Tubes, pipes and hollow bars:				
	001	Of an external cross-sectional-dimension of 3 mm. or less	K.G.	Free		10 %
	002	Of an external cross-sectional dimension exceeding 3 mm. but not exceeding 15 mm.	K.G.	Free		20 %
	003	Of an external cross-sectional dimension exceeding 15 mm. but not exceeding 100 mm.	K.G.	Free		40 %
	004	Of an external cross-sectional dimension exceeding 100 mm.	K.G.	Free		10 %
						ad val.
74.08		Tube and pipe fittings (for example, joints, elbows, sockets and flanges), of copper:				
A		Tube and pipe fittings:				
	001	Tube and pipe fittings	K.G.	Free		35 %

MEXICO

				ad val.
75.01		Nickel mattes, nickel speiss and other intermediate products of nickel metallurgy; unwrought nickel (excluding electro-plating anodes); nickel waste and scrap:		
A		Nickel mattes, nickel speiss aand other intermediate products of nickel metallurgy; unwrought nickel; nickel waste and scrap:		
	001	Nickel mattes, nickel speiss and other intermediate products of nickel metallurgy; unwrought nickel; nickel waste and scrap	K.G.	Free 10 %
		When those articles are imported by the *Banco de México S.A.*	K.G.	Free Free
75.02		Wrought bars, rods, angles, shapes, and sections, of nickel; nickel wire:		
A		Wrought bars, rods, angles, shapes and sections:		
	001	Of unalloyed nickel	K.G.	Free 2 %
		When those articles are imported by the *Banco de México S.A.*	K.G.	Free Free
	002	Of nickel alloyed with copper, containing 68 % or less of nickel and not more than 33 % of copper	K.G.	Free 3 %
	003	Of nickel alloyed with chromium, containing 78 % or less of nickel and not more than 16 % of chromium	K.G.	0.55 + 25 %
	004	Of nickel alloyed with copper, containing 19 % or less of nickel and not more than 67 % of copper	K.G.	0.10 + 10 %
	999	Other	K.G.	0.60 + 30 %
B		Wire:		
	001	Of unalloyed nickel	K.G.	Free 3 %
		When those articles are imported by the *Banco de México S.A.*	K.G.	Free Free
	002	Of nickel alloyed with iron	K.G.	0.05 + 7 %
	003	Of nickel alloyed with chromium and iron	K.G.	0.05 + 7 %
	004	Of nickel alloyed with manganese, other than wire falling within subheading 75.02 B 010	K.G.	0.05 + 5 %
	005	Of nickel alloyed with copper, other than wire falling within subheading 75.02 B 008	K.G.	0.05 + 5 %
	006	Of nickel alloyed with cobalt	K.G.	0.05 + 5 %
	007	Of nickel alloyed with chromium	K.G.	Free 5 %
	008	Of nickel alloyed with copper, containing 68 % or less of nickel and 31 % or less of copper	K.G.	0.10 + 3 %
	009	Of nickel alloyed with chromium - nickel - copper	K.G.	Free 5 %
	010	Of nickel alloyed with manganese, gilt or gold-plated	K.G.	0.05 + 5 %
	011	Of stellite, containing more than 10 % of nickel	K.G.	0.05 + 5 %
	999	Other	K.G.	0.10 + 10 %
75.03		Wrought plates, sheets and strip, of nickel; nickel foil; nickel powders and flakes:		
A		Wrought plates, sheets and strip; foil; powders and flakes:		
	001	Of unalloyed nickel	K.G.	Free 2 %
		When those articles are imported by the *Banco de México S.A.*	K.G.	Free Free
	002	Of nickel alloyed with copper	K.G.	0.05 + 3 %
	003	Of nickel alloyed with chromium	K.G.	0.05 + 3 %
	004	Powders of alloyed nickel	K.G.	2.00 + 6 %
	999	Other	K.G.	2.00 + 10 %
75.04		Tubes and pipes and blanks therefor, of nickel; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of nickel:		
A		Tubes, pipes, hollow bars and tube and pipe fittings:		
	001	Tubes, pipes and hollow bars, of unalloyed nickel	K.G.	0.01 + 2 %
	002	Tubes, pipes and hollow bars, of nickel alloyed with copper	K.G.	0.05 + 3 %
	003	Tubes, pipes and hollow bars, of nickel alloyed with chromium	K.G.	0.05 + 3 %
	004	Tube and pipe fittings, of unalloyed nickel	K.G.	0.01 + 2 %
	005	Tube and pipe fittings, of nickel alloyed with copper	K.G.	0.05 + 3 %
	006	Tube and pipe fittings, of nickel alloyed with chromium	K.G.	0.05 + 3 %
	999	Other	K.G.	0.10 + 10 %
75.05		Electro-plating anodes, of nickel, wrought or unwrought, including those produced by electrolysis:		
A		Anodes:		
	001	Anodes	K.G.	0.20 + 10 %

MEXICO

					ad val.
76.01		Unwrought aluminium; aluminium waste and scrap:			
	A	Unwrought aluminium; waste and scrap:			
	001	Unalloyed	K.G.	0.05 +	5 %
	002	Aluminium alloyed with copper and zinc	K.G.	0.10 +	30 %
	003	Aluminium alloyed with copper and silicon	K.G.	0.10 +	30 %
	004	Aluminium alloyed with manganese, in ingots	K.G.	0.05 +	15 %
	999	Other	K.G.	0.20 +	30 %
76.02		Wrought bars, rods, angles, shapes and sections, of aluminium; aluminium wire:			
	A	Bars, rods, angles, shapes and sections; wire:			
	001	Bars and rods	K.G.	Free	20 %
	004	Angles, shapes and sections	K.G.	Free	35 %
	005	Wire	K.G.	Free	20 %
76.03		Wrought plates, sheets and strip, of aluminium:			
	A	Wrought plates, sheets and strip:			
	001	Unpainted strips, curved along their length	K.G.	0.30 +	40 %
	002	Painted strips, curved along their length	K.G.	0.50 +	60 %
	003	Embossed or otherwise surface-patterned	K.G.	0.15 +	60 %
	004	Sheets of alloyed aluminium containing more than 96 % of aluminium and of a hardness of 40 to 60 on the Rockwell B scale	K.G.	0.20 +	30 %
	009	Sheets or strip of alloyed aluminium containing 93 % or more of aluminium, with a tensile strength of 2,950 kg. per square cm. or more and a minimum stretch of 1 % per 5 cm. of length	K.G.	Free	7 %
	010	Strip of alloyed aluminium containing 95 % or more of aluminium, with a tensile strength of 1,700 kg. or more but not more than 2,000 kg. per square cm. and a minimum stretch of 16 % per metre of length	K.G.	0.20 +	25 %
	999	Other	K.G.	Free	60 %
76.04		Aluminium foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a thickness (excluding any backing) not exceeding 0.20 mm.:			
	A	Foil:			
	001	Of unalloyed aluminium, of a width not exceeding 55 cm., a weight of 2.5 grams or less per square decimetre and a purity exceeding 99.85 %	K.L.	0.03 +	10 %
	002	Of unalloyed aluminium, of a width of 30 cm. or less and a weight of 2.5 grams or more per square decimetre	K.L.	0.03 +	10 %

MEXICO

76.04 *(Ctd.)*:					
	003	Of unalloyed aluminium, coated with plastic varnish, with printed indications (spaced at a maximum of 15 cm.) to the effect that it will be used only for packaging milk products	K.G.	0.30 +	5 %
	004	Embossed or otherwise surface-patterned	K.G.	0.15 +	60 %
	005	Of a weight of 1 gram or less per square decimetre	K.L.	0.30 +	45 %
	006	Backed with paper	K.L.	Free	25 %
	007	For the articles referred to in paragraphs *(b)*, *(g)*, *(h)* and *(i)* of Additional Note 2 to Section XV	K.L.	Free	2 %
	008	Coated with an adhesive on one surface, of a weight of 2.5 grams or less per square decimetre, of aluminium of a purity exceeding 99 %	K.L.	0.10 +	10 %
	999	Other	K.G.	Free	60 %
76.05		Aluminium powders and flakes:			
	A	Powders and flakes:			
	001	Powders	K.L.	0.25 +	25 %
	002	Flakes	K.L.	1.25 +	60 %
76.06		Tubes and pipes and blanks therefor, of aluminium; hollow bars of aluminium:			
	A	Tubes, pipes and hollow bars:			
	001	Of an internal diameter of 125 mm. or less	K.L.	Free	25 %
	002	Of an internal diameter exceeding 125 mm.	K.L.	Free	10 %
76.07		Tube and pipe fittings (for example, joins, elbows, sockets and flanges), of aluminium:			
	A	Tube and pipe fittings:			
	001	S-bends of an internal diameter exceeding 40 mm. but not exceeding 125 mm.	K.G.	0.30 +	40 %
	002	Of an internal diameter exceeding 5 cm., for sprinkler systems	K.G.	0.03 +	5 %
	003	Unthreaded	K.G.	0.30 +	40 %
	004	Of an internal diameter exceeding 150 mm.	K.G.	0.03 +	5 %
	005	Sprinklers or sprinkler heads for sprinkler systems, other than goods falling within subheadings 76.07 A 001 and 002	K.G.	0.20 +	35 %
	999	Other	K.G.	0.30 +	60 %
77.01		Unwrought magnesium; magnesium waste (excluding shavings of uniform size) and scrap:			
	A	Unwrought magnesium; waste and scrap:			
	001	Unwrought magnesium; waste and scrap	K.G.	Free	2 %
77.02		Wrought bars, rods, angles, shapes and sections, of magnesium; magnesium wire; wrought plates, sheets and strip, of magnesium; magnesium foil; raspings and shavings of uniform size, powders and flakes, of magnesium; tubes and pipes and blanks therefor, of magnesium; hollow bars of magnesium:			
	A	Bars, rods, angles, shapes and sections, plates, sheets and strip, foil, tubes, pipes and hollow bars, powders and flakes, raspings and shavings of uniform size:	K.G.	Free	25 %
	001	Plates and sheets	K.L.	Free	15 %
	002	Angles, shapes and sections	K.G.	Free	15 %
	003	Bars, rods, slabs and sheet bars	K.G.	Free	25 %
	999	Other			

MEXICO

2. Heading No. 78.05 is to be taken to apply, *inter alia*, to tubes, pipes, hollow bars and tube and pipe fittings which have been polished or coated, or which have been shaped or worked, such as bent, coiled, threaded, drilled, waisted, cone-shaped or finned.

				ad val.
78.01		Unwrought lead (including argentiferous lead); lead waste and scrap:		
A		Unwrought lead; waste and scrap:		
	001	Assay lead	K.G.	0.02 + 4 %
	002	Lead-tin alloys and lead-tin-copper alloys	K.G.	0.20 + 40 %
	003	Lead-antimony alloys	K.G.	0.10 + 30 %
	999	Other	K.G.	0.40 + 40 %
78.02		Wrought bars, rods, angles, shapes and sections, of lead; lead wire:		
A		Bars, rods, angles, shapes and sections and wire:		
	001	Wire	K.G.	0.10 + 20 %
	002	Bushings	K.L.	2.00 + 75 %
	003	Brass-cored angles, shapes and sections	K.L.	0.15 + 50 %
	999	Other	K.G.	2.50 + 75 %
78.03		Wrought plates, sheets and strip, of lead:		
A		Plates, sheets and strip:		
	001	Plates and sheets, other than products falling within subheading 78.03 A 002	K.G.	0.10 + 25 %
	002	Embossed plates	K.G.	0.15 + 60 %
	999	Other	K.G.	0.60 + 60 %
78.04		Lead foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a weight (excluding any backing) not exceeding 1,700 g/m²; lead powders and flakes:		
A		Foil; powders and flakes:		
	001	Foil	K.L.	0.05 + 20 %
	002	Powders and flakes	K.G.	0.05 + 13 %
78.05		Tubes and pipes and blanks therefor, of lead; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets, flanges and S-bends), of lead:		
A		Tubes, pipes, hollow bars and fittings:		
	001	Tubes, pipes, hollow bars and fittings	K.G.	0.10 + 25 %

MEXICO

79.01		Unwrought zinc; zinc waste and scrap:				
	A	Unwrought zinc:				
	001	Obtained by electrolysis or thermal reduction	K.G.	0.05	+	20 %
	002	Anodes	K.G.	0.05	+	22 %
	003	Zinc-aluminium-copper alloys	K.G.	0.10	+	30 %
	999	Other	K.G.	0.30	+	30 %
	B	Waste and scrap:				
	001	Strips rendered unusable by perforations spaced at a maximum of 20 cm.	K.G.	Free		3 %
	999	Other	K.G.	0.02	+	4 %
79.02		Wrought bars, rods, angles, shapes and sections, of zinc; zinc wire:				
	A	Bars, rods, angles, shapes, sections and wire:				
	001	Bars and rods	K.G.	0.06	+	25 %
	002	Wire	K.G.	0.15	+	30 %
	003	Tubular angles, shapes and sections	K.L.	2.00	+	75 %
	004	Brass-cored angles, shapes and sections, other than products falling within subheading 79.02 A 003	K.G.	0.15	+	50 %
	005	Angles, shapes and sections, other than products falling within subheadings 79.02 A 003 and 004	K.G.	0.06	+	25 %
79.03		Wrought plates, sheets and strip, of zinc; zinc foil; zinc powders and flakes:				
	A	Plates, sheets and strip, powders and flakes:				
	001	Plates, sheets and strip	K.G.	0.10	+	25 %
	002	Powders and flakes	K.G.	0.15	+	30 %
	003	Rolled zinc discs	K.G.	0.10	+	25 %
	999	Other	K.G.	0.15	+	30 %
79.04		Tubes and pipes and blanks therefor, of zinc; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of zinc:				
	A	Tubes, pipes, hollow bars and fittings:				
	001	Tubes, pipes, hollow bars and fittings	K.G.	0.10	+	20 %

MEXICO

					ad val.
80.01		Unwrought tin; tin waste and scrap:			
	A	Unwrought tin; tin waste and scrap:			
	001	Anodes	K.G.	0.15 +	18 %
	002	Unwrought, unalloyed, other than anodes falling within subheading 80.01 A 001	K.G.	Free	10 %
	003	Tin-lead alloys and tin-copper-lead alloys	K.G.	0.20 +	40 %
	004	Tin alloys, other than products falling within subheading 80.01 A 003	K.G.	0.10 +	30 %
	005	Waste and scrap	K.G.	0.15 +	15 %
	006	Tin of reagent grade	K.L.	0.30 +	15 %
80.02		Wrought bars, rods, angles, shapes and sections of tin; tin wire:			
	A	Bars, rods, angles, shapes, sections and wire:			
	001	Bars and rods	K.G.	0.10 +	25 %
	002	Wire	K.G.	0.10 +	25 %
	003	Tubular angles, shapes and sections	K.L.	2.00 +	75 %
	004	Brass-cored angles, shapes and sections, other than products falling within subheading 80.02 A 003	K.L.	0.15 +	30 %
	005	Angles, shapes and sections, other than products falling within subheadings 80.02 A 003 and 004	K.L.	2.50 +	75 %
80.03		Wrought plates, sheets and strip, of tin:			
	A	Plates, sheets and strip:			
	001	Embossed or otherwise surface-patterned	K.G.	0.15 +	60 %
	002	Plates, sheets and strip, other than products falling within subheadings 80.03 A 001 and 003	K.G.	0.10 +	20 %
	003	Of anti-friction metal	K.G.	0.10 +	20 %
80.04		Tin foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a weight (excluding any backing) not exceeding 1 kg m²; tin powders and flakes:			
	A	Foil, powders and flakes:			
	001	Foil, embossed or otherwise surface-patterned	K.G.	0.15 +	60 %
	002	Foil, other than that falling within subheading 80.04 A 001	K.L.	0.10 +	40 %
	003	Powders and flakes	K.G.	0.15 +	15 %

					ad val.
80.05		Tubes and pipes and blanks therefor, of tin; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of tin:			
	A	Tubes, pipes, hollow bars and fittings:			
	001	Tubes, pipes, hollow bars and fittings	K.L.	0.10 +	20 %

Source: The International Customs Journal, Number 27, 13th Edition.

Tariff: General Import Tariff (updated to 1 February 1974).

Note: For explanations concerning the type of duty and the relevant provisions, see the original source.

GATT bindings:

Schedule XXXV- Peru is virtually suspended since 5 June 1967 (see documents C/M/41 and L/3052).

PERU

		Specific duties Gold Soles	Additional ad valorem unified duties % C.I.F.
26.01	Metallic ores and concentrates and roasted iron pyrites:		
01.00	Iron ore and concentrates:		
01	Roasted iron pyrites	K.G. 0.10	42 %
99	Other	K.G. 0.10	42 %
02.00	Copper ore and concentrates	K.G. 0.20	42 %
03.00	Nickel ore and concentrates	K.G. 0.20	42 %
04.00	Bauxite and concentrates	K.G. 0.10	42 %
05.00	Lead ore and concentrates	K.G. 0.10	42 %
06.00	Zinc ore and concentrates	K.G. 0.10	42 %
07.00	Tin ore and concentrates	K.G. 0.20	42 %
08.00	Manganese ore and concentrates	K.G. 0.10	42 %
09.00	Chromium ore and concentrates	K.G. 0.20	42 %
10.00	Tungsten ore and concentrates	K.G. 0.20	42 %
11.00	Antimony ore and concentrates	K.G. 0.10	42 %
12.00	Mercury ore and concentrates	K.G. 0.20	42 %
13.00	Ores and concentrates of titanium, vanadium, molybdenum, tantalum and zirconium	K.G. 0.20	42 %
14.00	Ores and concentrates of precious metals:		
01	Silver ore and concentrates	K.G. Free	42 %
05	Gold ore	K.G. Free	42 %
11	Ores and concentrates of platinum and other metals of the platinum group	K.G. Free	42 %
89.00	Other:		
01	Ores and concentrates of uranium and thorium	K.G. 0.20	42 %
99	Other	K.G. 0.20	42 %
26.03 00.00	Ash and residues (other than from the manufacture of iron or steel), containing metals or metallic compounds	K.G. 0.10	42 %
28.20	Aluminium oxide and hydroxide; artificial corundum:		
01.00	Aluminium oxide (anhydrous alumina)	K.G. .00	42 %
02.00	Aluminium hydroxide (hydrated alumina)	K.G. 1.00	42 %
03.00	Artificial corundum	K.G. 1.00	42 %
73.01	Pig iron, cast iron and spiegeleisen, in pigs, blocks, lumps and similar forms:		
01.00	Spiegeleisen	K.G. 0.10	192 %
89.00	Other	K.G. 0.10	192 %
73.02	Ferro-alloys	K.G. 0.20	42 %
73.03	Waste and scrap metal of iron or steel	K.G. 0.10	42 %
73.04 00.00	Shot and angular grit, of iron or steel, whether or not graded; wire pellets of iron or steel	K.G. 0.10	42 %
73.05	Iron or steel powders; sponge iron or steel:		
01.00	Iron or steel powders	K.G. 0.10	42 %
02.00	Sponge iron or steel	K.G. 0.10	42 %
73.06	Puddled bars and pilings; ingots, blocks, lumps and similar forms, of iron or steel:		
01.00	Ingots	K.G. 0.15	42 %
89.00	Other	K.G. 0.15	42 %
73.07	Blooms, billets, slabs and sheet bars (including tinplate bars), of iron or steel; pieces roughly shaped by forging, of iron or steel:		
01.00	Blooms and billets	K.G. 0.20	42 %
02.00	Slabs and sheet bars	K.G. 0.20	42 %
03.00	Pieces roughly shaped by forging	K.G. 0.20	42 %
73.08 00.00	Iron or steel coils for re-rolling	K.G. 0.20	42 %
73.09 00.00	Universal plates of iron or steel	K.G. 0.20	42 %

PERU

GATT Bindings

73.10		Bars and rods (including wire rod), of iron or steel, hot-rolled, forged, extruded, cold-formed or cold-finished (including precision-made); hollow mining drill steel :		
	01.00	Wire rod	K.G.	0.30	192 %
	02.00	Bars and rods, hot-rolled or extruded	K.G.	0.30	192 %
	03.00	Bars and rods, forged	K.G.	0.30	192 %
	04.00	Bars and rods obtained by cold-forming or cold-finishing	K.G.	0.30	192 %
	05.00	Hollow mining drill steel	K.G.	0.15	42 %
	06.00	Bars and rods, clad or worked	K.G.	0.15	192 %
73.11		Angles, shapes and sections, of iron or steel, hot-rolled, forged, extruded, cold-formed or cold-finished; sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements :		
	01.00	Sheet piling	K.G.	0.30	192 %
	02.00	Angles, shapes and sections, 80 mm or more, hot-rolled, forged or extruded	K.G.	0.20	192 %
	03.00	Angles, shapes and sections, 80 mm or more, cold-formed or cold-finished	K.G.	0.20	192 %
	04.00	Angles, shapes and sections, 80 mm or more, clad or worked	K.G.	0.30	192 %
	05.00	Angles, shapes and sections, less than 80 mm, hot-rolled, forged or extruded	K.G.	0.30	192 %
	06.00	Angles, shapes and sections, less than 80 mm, cold-formed or cold-finished	K.G.	0.30	192 %
	07.00	Angles, shapes and sections, less than 80 mm, clad or worked	K.G.	0.40	192 %
73.12		Hoop and strip, of iron or steel, hot-rolled or cold-rolled :		
	01.00	Hot-rolled, neither clad nor worked	K.G.	0.40	42 %
	02.00	Cold-rolled, neither clad nor worked	K.G.	0.40	42 %
	03.00	Plated, clad or worked :		
	01	Plated or clad with base metal (*)	K.G.	0.50	42 %
	99	Other (*)	K.G.	1.00	42 %
73.13		Sheets and plates, of iron or steel, hot-rolled or cold-rolled :		
	01.00	Electrical sheets and plates, whether or not coated or worked	K.G.	0.30	42 %
	02.00	Not further worked than hot-rolled, whether or not deoxidised or pickled, of a thickness of :		
	01	More than 4.75 mm	K.G.	0.30	42 %
	02	3 to 4.75 mm inclusive	K.G.	0.30	42 %
	03	Less than 3 mm	K.G.	0.30	42 %
	03.00	Not further worked than cold-rolled, whether or not deoxidised or pickled, of a thickness of :		
	01	More than 4.75 mm	K.G.	0.30	42 %
	02	3 to 4.75 mm inclusive	K.G.	0.30	42 %
	03	Less than 3 mm	K.G.	0.30	42 %
	04.00	Tinned (tinplate)	K.G.	0.20	42 %
	05.00	Galvanised, flat or corrugated	K.G.	0.30	192 %
	06.00	Coated (other than tinned or galvanised sheets and plates) and clad	K.G.	1.00	42 %
	07.00	Surface-worked	K.G.	1.00	42 %
	08.00	Otherwise worked	K.G.	1.00	42 %
73.14		Iron or steel wire, whether or not coated, but not insulated :		
	01.00	Not coated :		
	01	Flat-rolled, for strips, corner-pieces or reeds for looms, of which the greatest cross-sectional dimension is less than 3 mm	K.G.	0.30	42 %
	09	Other, of less than 3 mm :		
		01 Of not more than 0.5 mm (*)	K.G.	1.50	42 %
		02 Of more than 0.5 mm (*)	K.G.	0.30	192 %
	99	Other	K.G.	0.30	192 %

PERU

73.14 (*ctd*) :				
02.00	Coated :			
01	Special for tyre tringles, of which the greatest cross-sectional dimension is less than 3 mm	K.G.	0.40	42 %
09	Other, of less than 3 mm :			
	01 Of not more than 0.5 mm (*)	K.G.	1.80	42 %
	02 Of more than 0.50 mm (*)	K.G.	0.40	192 %
99	Other	K.G.	0.40	192 %
73.15	Alloy steel and high carbon steel in the forms mentioned in headings Nos. 73.06 to 73.14 :			
01.00	Ingots of high carbon steel	K.G.	0.20	42 %
02.00	Ingots of alloy steel	K.G.	0.20	42 %
03.00	Blooms, billets, slabs, sheet bars and roughly forged pieces, of high carbon steel	K.G.	0.25	42 %
04.00	Blooms, billets, slabs, sheet bars and roughly forged pices, of alloy steel	K.G.	0.25	42 %
05.00	Coils for re-rolling, of high carbon steel	K.G.	0.25	42 %
06.00	Coils for re-rolling, of alloy steel	K.G.	0.25	42 %
07.00	Wire rod of high carbon steel	K.G.	0.30	42 %
08.00	Wire rod of alloy steel	K.G.	0.30	42 %
09.00	Bars and rods, of high carbon steel	K.G.	0.30	42 %
10.00	Bars and rods, of alloy steel	K.G.	0.30	42 %
11.00	Hollow mining drill steel, of high carbon steel	K.G.	0.20	42 %
12.00	Hollow mining drill steel, of alloy steel	K.G.	0.20	42 %
13.00	Angles, shapes and sections, 80 mm or more, and sheet piling, of high carbon steel	K.G.	0.30	42 %
14.00	Angles, shapes and section, 80 mm or more, and sheet piling, of alloy steel	K.G.	0.30	42 %
15.00	Angles, shapes and sections, less than 80 mm, of high carbon steel	K.G.	0.30	42 %
16.00	Angles, shapes and sections, 80 mm or less, of alloy steel	K.G.	0.30	42 %
17.00	Sheets and plates, more than 4.75 mm in thickness, and universal plates, of high carbon steel	K.G.	0.30	42 %
18.00	Sheets and plates, more than 4.75 mm in thickness, and universal plates, of alloy steel	K.G.	0.30	42 %
19.00	Sheets and plates, 3 mm or more but not more than 4.75 mm in thickness, of high carbon steel	K.G.	0.30	42 %
20.00	Sheets and plates, 3 mm or more but not more than 4.75 mm, of alloy steel	K.G.	0.30	42 %
21.00	Sheets and plates, less than 3 mm in thickness, not plated, coated or clad, of high carbon steel	K.G.	0.30	42 %
22.00	Sheets and plates, less than 3 mm in thickness, not plated, coated or clad, of alloy steel	K.G.	0.30	42 %
23.00	Sheets and plates, less than 3 mm in thickness, plated, coated or clad, of high carbon steel	K.G.	0.30	42 %
24.00	Sheets and plates, less than 3 mm in thickness, plated, coated or clad, of alloy steel	K.G.	0.30	42 %
25.00	Hoop and strip, of high carbon steel	K.G.	0.40	42 %
26.00	Hoop and strip, of alloy steel	K.G.	0.40	42 %
27.00	Wire of high carbon steel	K.G.	0.40	192 %
28.00	Wire of alloy steel	K.G.	0.40	192 %
73.16	Railway and tramway track construction material of iron or steel, the following : rails, check-rails, switch blades, crossings (or frogs), crossing pieces, point rods, rack rails, sleepers, fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialised for joining or fixing rails :			
01.00	Rails	K.G.	Free	32 %
89.00	Other	K.G.	Free	32 %

PERU

73.17		Tubes and pipes, of cast iron:		
	00.01	Of an internal diameter of less than 120 mm (*) K.G.	2.50	42 %
	00.99	Other (*) K.G.	0.60	42 %
73.18		Tubes and pipes and blanks therefor, of iron (other than of cast iron) or steel, excluding high-pressure hydro-electric conduits:		
	01.00	Blanks K.G.	4.50	42 %
	02.00	Tubes and pipes, of iron or ordinary steel, welded, whether or not clad with other metals:		
	01	Steel tubes and pipes, copper clad, brazed (*) K.G.	0.50	42 %
	02	Other tubes and pipes, of an internal diameter of not more than 60 mm (*) K.G.	4.50	42 %
	99	Other (*) K.G.	0.50	42 %
	03.00	Tubes and pipes, of iron or ordinary steel, seamless, whether or not clad with other metals:		
	01	Of an internal diameter of not more than 60 mm (*) K.G.	3.50	42 %
	99	Other (*) K.G.	0.50	42 %
	04.00	Alloy steel or high carbon steel tubes and pipes, welded:		
	01	Of an internal diameter of not more than 60 mm (*) K.G.	4.50	42 %
	99	Other (*) K.G.	0.50	42 %
	05.00	Alloy steel or high carbon steel tubes and pipes, seamless:		
	01	Of an internal diameter of not more than 60 mm (*) K.G.	3.00	42 %
	99	Other (*) K.G.	0.20	42 %
74.01		Copper matte; unwrought copper (refined or not); copper waste and scrap:		
	01.00	Copper matte K.G.	0.50	42 %
	02.00	Unrefined copper K.G.	0.80	42 %
	03.00	Refined copper:		
	01	Electrolytic copper K.G.	1.00	42 %
	99	Other K.G.	1.00	42 %
	04.00	Copper alloys K.G.	2.00	42 %
	05.00	Waste and scrap K.G.	0.50	42 %
74.02	00.00	Master alloys K.G.	1.50	42 %
74.03		Wrought bars, rods, angles, shapes and sections, of copper; copper wire:		
	01.00	Wrought bars, rods, angles, shapes and sections K.G.	18.00	42 %
	02.00	Wire K.G.	9.00	42 %
74.04		Wrought plates, sheets and strip, of copper:		
	01.00	Neither coated nor otherwise worked K.G.	2.00	42 %
	02.00	Coated, clad or otherwise surface-worked (gilt, silvered, polished, enamelled, varnished, printed, etc.) K.G.	3.00	42 %
	03.00	Otherwise worked (cut to shape other than rectangular shape, perforated, curved, corrugated, etc.) K.G.	5.	42 %
74.05		Copper foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a thickness (excluding any backing) not exceeding 0.15 millimetre:		
	00.01	Of a width not exceeding 20 cm, specially intended for the manufacture of radiators (*) K.G.	1.50	42 %
	00.99	Other (*) K.G.	25.00	42 %
74.06	00.00	Copper powders and flakes K.G.	10.00	42 %
74.07		Tubes and pipes and blanks therefor, of copper; hollow bars of copper:		
	01.00	Neither coated nor otherwise worked K.G.	20.00	42 %
	89.00	Other K.G.	25.00	42 %
74.08	00.00	Tube and pipe fittings (for example, joints, elbows, sockets and flanges), of copper K.G.	5.00	42 %

PERU

75.01		Nickel mattes, nickel speiss and other intermediate products of nickel metallurgy; unwrought nickel (excluding electro-plating anodes); nickel waste and scrap :		
	01.00	Nickel mattes, nickel speiss and other intermediate products of nickel metallurgy K.G.	3.50	42 %
	02.00	Unwrought nickel K.G.	4.00	42 %
	03.00	Nickel waste and scrap K.G.	4.00	42 %
75.02		Wrought bars, rods, angles, shapes and sections, of nickel; nickel wire :		
	01.00	Wrought bars, rods, angles, shapes and sections K.G.	6.00	42 %
	02.00	Nickel wire K.G.	7.00	42 %
75.03		Wrought plates, sheets and strip, of nickel; nickel foil; nickel powders and flakes :		
	01.00	Wrought plates, sheets and strip; foil K.G.	7.00	42 %
	02.00	Powder and flakes K.G.	4.00	42 %
75.04		Tubes and pipes and blanks therefor, of nickel; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of nickel :		
	01.00	Tubes and pipes and hollow bars K.G.	5.00	42 %
	02.00	Tube and pipe fittings K.G.	5.00	42 %
75.05	00.00	Electro-plating anodes, of nickel, wrought or unwrought, including those produced by electrolysis K.G.	4.00	42 %
76.01		Unwrought aluminium; aluminium waste and scrap :		
	01.00	Unwrought aluminium K.G.	1.00	42 %
	02.00	Aluminium waste and scrap K.G.	1.00	42 %
76.02		Wrought bars, rods, angles, shapes and sections, of aluminium; aluminium wire :		
	01.00	Wrought bars and rods K.G.	9.00	42 %
	02.00	Angles, shapes and sections K.G.	9.00	42 %
	03.00	Wire K.G.	9.00	42 %
76.03	00.00	Wrought plates, sheets and strip, of aluminium K.G.	1.50	42 %
76.04		Aluminium foil (whether or not embossed, cut to shape, perforated, coated, printed or backed with paper or other reinforcing material), of a thickness (excluding any backing) not exceeding 0.20 millimetre :		
	01.00	Neither embossed, cut to shape, perforated, coated, printed, nor backed with paper or other reinforcing material K.G.	3.00	42 %
	89.00	Other :		
	01	Printed (*) K.G.	32.00	42 %
	99	Other (*) K.G.	3.00	42 %
76.05	00.00	Aluminium powders and flakes K.G.	2.50	42 %
76.06	00.00	Tubes and pipes and blanks therefor, of aluminium; hollow bars of aluminium K.G.	15.00	42 %
76.07	00.00	Tube and pipe fittings (for example, joints, elbows, sockets and flanges), of aluminium K.G.	5.00	42 %

PERU

77.01	Unwrought magnesium; magnesium waste (excluding shavings of uniform size) and scrap :			
01.00	Unwrought magnesium	K.G.	4.50	42 %
02.00	Magnesium waste and scrap	K.G.	4.50	42 %
77.02	Wrought bars, rods, angles, shapes and sections, of magnesium; magnesium wire; wrought plates, sheets and strip, of magnesium; magnesium foil; raspings and shavings of uniform size, powders and flakes of magnesium; tubes and pipes and blanks therefor, of magnesium; hollow bars of magnesium :			
01.00	Wrought bars, rods, angles, shapes and sections	K.G.	6.00	42 %
89.00	Other	K.G.	6.00	42 %
78.01	Unwrought lead (including argentiferous lead); lead waste and scrap :			
01.00	Unalloyed lead	K.G.	0.60	42 %
02.00	Lead alloys	K.G.	0.60	42 %
03.00	Lead waste and scrap	K.G.	0.60	42 %
78.02	Wrought bars, rods, angles, shapes and sections, of lead; lead wire :			
01.00	Wrought bars, rods, angles, shapes and sections, of lead	K.G.	3.00	42 %
02.00	Lead wire	K.G.	3.00	42 %
78.03 00.00	Wrought plates, sheets and strip, of lead	K.G.	2.00	42 %
78.04	Lead foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a weight (excluding any backing) not exceeding 1,700 grammes per square metre; lead powders and flakes :			
01.00	Lead foil	K.G.	2.00	42 %
02.00	Lead powders and flakes	K.G.	2.00	42 %
78.05	Tubes and pipes and blanks therefor, of lead; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets, flanges and S-bends), of lead :			
01.00	Tubes, pipes and hollow bars, of lead	K.G.	3.00	42 %
02.00	Tube and pipe fittings of lead	K.G.	3.00	42 %
79.01	Unwrought zinc; zinc waste and scrap :			
01.00	Unalloyed zinc	K.G.	1.00	42 %
02.00	Zinc alloys	K.G.	1.00	42 %
03.00	Zinc waste and scrap	K.G.	1.00	42 %
79.02 00.00	Wrought bars, rods, angles, shapes and sections, of zinc; zinc wire	K.G.	10.00	42 %
79.03	Wrought plates, sheets and strip, of zinc; zinc foil; zinc powders and flakes :			
01.00	Wrought plates, sheets, strip and foil, of zinc	K.G.	3.00	42 %
02.00	Zinc powders and flakes	K.G.	2.00	42 %
79.04	Tubes and pipes and blanks therefor, of zinc; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of zinc :			
01.00	Tubes, pipes and hollow bars, of zinc	K.G.	6.00	72 %
02.00	Tube and pipe fittings, of zinc	K.G.	6.00	72 %

PERU

80.01			Unwrought tin; tin waste and scrap :		
	01.00		Unalloyed tin	K.G.	2.00	42 %
	02.00		Alloyed tin :			
		01	Anti-friction metal (*)	K.G.	10.00	42 %
		99	Other (*)	K.G.	20.00	42 %
	03.00		Tin waste and scrap	K.G.	2.00	42 %
80.02			Wrought bars, rods, angles, shapes and sections, of tin; tin wire :			
	01.00		Wrought bars, rods, angles, shapes and sections, of tin	K.G.	10.00	42 %
	02.00		Tin wire :			
		01	Of alloy tin, for soldering purposes	K.G.	18.00	42 %
		99	Other	K.G.	10.00	42 %
80.03	00.00		Wrought plates, sheets and strip, of tin	K.G.	8.00	42 %
80.04			Tin foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material) of a weight (excluding any backing) not exceeding one kilogramme per square metre; tin powders and flakes :			
	01.00		Tin foil	K.G.	4.00	42 %
	02.00		Tin powders and flakes	K.G.	2.00	42 %
80.05			Tubes and pipes and blanks therefor, of tin; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of tin :			
	01.00		Tubes, pipes and hollow bars, of tin	K.G.	8.00	42 %
	02.00		Tube and pipe fittings, of tin	K.G.	8.00	42 %

Source: The International Customs Journal, Number 136, 11th Edition.

Tariff: Customs Import Tariff, Year 1973-1974.

Note: For explanations concerning the type of duty and the relevant provisions, see the original source.

PHILIPPINES (Rep. of)

26.01	Metallic ores and concentrates and roasted iron pyrites	ad val.	10 %
26.03	Ash and residues (other than from the manufacture of iron or steel), containing metals or metallic compounds	ad val.	10 %

28.20 Aluminium oxide and hydroxide; artificial corundum — ad val. 20 %

73.01	Pig iron, cast iron and spiegeleisen, in pigs, blocks, lumps and similar forms	ad val.	10 %
73.02	Ferro-alloys :		
	A. Articles not included in subheading B hereof	ad val.	10 %
	B. Ferrosilicon, ferromanganese and ferrosilicomanganese	ad val.	30 %
73.03	Waste and scrap metal of iron or steel	ad val.	10 %
73.04	Shot and angular grit, of iron or steel, whether or not graded; wire pellets of iron or steel	ad val.	10 %
73.05	Iron or steel powders; sponge iron or steel	ad val.	10 %
73.06	Puddled bars and pilings; ingots, blocks, lumps and similar forms, of iron or steel	ad val.	10 %
73.07	Blooms, billets, slabs and sheet bars (including tinplate bars), of iron or steel; pieces roughly shaped by forging, of iron or steel	ad val.	10 %
73.08	Iron or steel coils for re-rolling	ad val.	10 %
73.09	Universal plates of iron or steel	ad val.	10 %
73.10	Bars and rods (including wire rod), of iron or steel, hot-rolled, forged, extruded, cold-formed or cold-finished (including precision-made); hollow mining drill steel :		
	A. Articles not included in subheadings B and C hereof	ad val.	10 %
	B. Cold-rolled flat and hexagonal steel bars; cold-finished steel bars, rounds and flats; wire rod	ad val.	30 %
	C. Hot-rolled concrete or reinforcing bars	ad val.	50 %
73.11	Angles, shapes and sections, of iron or steel, hot-rolled, forged, extruded, cold-formed or cold-finished; sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements :		
	A. Articles not included in subheading B hereof	ad val.	30 %
	B. Riveted, welded, punched or drilled	ad val.	70 %
73.12	Hoop and strip, of iron or steel, hot-rolled or cold-rolled :		
	A. Articles not included in subheading B hereof	ad val.	10 %
	B. Cold-rolled hoop and strip of iron or steel	ad val.	30 %
73.13	Sheets and plates, of iron or steel, hot-rolled or cold-rolled :		
	A. Uncoated :		
	1. Articles not included in subheading A-2 hereof	ad val.	10 %
	2. Cold-rolled black sheets	ad val.	30 %
	B. Coated or plated :		
	1. Articles not included in subheading B-2 hereof	ad val.	10 %
	2. Tinplates; chrome-plated sheets; galvanized sheets with gauges from 16 to 36 USSG	ad val.	50 %
73.14	Iron or steel wire, whether or not coated, but not insulated	ad val.	50 %
73.15	Alloy steel and high carbon steel in the forms mentioned in headings Nos. 73.06 to 73.14	ad val.	10 %
73.16	Railway and tramway track construction material of iron or steel, the following : rails, check-rails, switch blades, crossings (or frogs), crossing pieces, point rods, rack rails, sleepers, fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bed-plates, ties and other material specialised for joining or fixing rails	ad val.	10 %
73.17	Tubes and pipes, of cast iron	ad val.	50 %
73.18	Tubes and pipes and blanks therefor, of iron (other than of cast iron) or steel, excluding high-pressure hydro-electric conduits :		
	A. Seamless steel pipes and non-high carbon seamless steel and bundy-weld pipes and tubes; stainless steel tubes and pipes; boiler tubes	ad val.	10 %
	B. Other	ad val.	50 %

PHILIPPINES

74.01	Copper matte; unwrought copper (refined or not); copper waste and scrap	ad val.	10 %
74.02	Master alloys	ad val	10 %
74.03	Wrought bars, rods, angles, shapes and sections, of copper; copper wire :		
	A. Articles not included in subheading B hereof	ad val.	10 %
	B. Tinned copper wire (excluding wire of copper-based metal alloys) and bare wire plated or coated with gold or silver; copper rod	ad val.	50 %
74.04	Wrought plates, sheets and strip, of copper	ad val.	30 %
74.05	Copper foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a thickness (excluding any backing) not exceeding 0.15 mm	ad val.	20 %
74.06	Copper powders and flakes	ad val.	20 %
74.07	Tubes and pipes and blanks therefor, of copper; hollow bars of copper	ad val.	30 %
74.08	Tube and pipe fittings (for example, joints, elbows, sockets and flanges), of copper	ad val.	30 %
75.01	Nickel mattes, nickel speiss and other intermediate products of nickel metallurgy; unwrought nickel (excluding electroplating anodes); nickel waste and scrap	ad val.	10 %
75.02	Wrought bars, rods, angles, shapes and sections, of nickel; nickel wire	ad val.	20 %
75.03	Wrought plates, sheets and strip, of nickel; nickel foil; nickel powder and flakes	ad val.	20 %
75.04	Tubes and pipes and blanks therefor, of nickel; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of nickel	ad val.	20 %
75.05	Electro-plating anodes, of nickel, wrought or unwrought, including those produced by electrolysis	ad val.	20 %
76.01	Unwrought aluminium; aluminium waste and scrap	ad val.	10 %
76.02	Wrought bars, rods, angles, shapes and sections, of aluminium; aluminium wire	ad val.	30 %
76.03	Wrought plates, sheets and strip, of aluminium :		
	A. Tube sheets for refrigerators	ad val.	10 %
	B. Other	ad val.	30 %
76.04	Aluminium foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a thickness (excluding any backing) not exceeding 0.20 mm	ad val.	30 %
76.05	Aluminium powders and flakes	ad val.	20 %
76.06	Tubes and pipes and blanks therefor, of aluminium; hollow bars of aluminium	ad val.	20 %
76.07	Tube and pipe fittings (for example, joints, elbows, sockets and flanges), of aluminium	ad val.	20 %
77.01	Unwrought magnesium; magnesium waste (excluding shavings of uniform size) and scrap	ad val.	10 %
77.02	Wrought bars, rods, angles, shapes and sections, of magnesium; magnesium wire; wrought plates, sheets and strip, of magnesium; magnesium foil; raspings and shavings of uniform size, powders and flakes, of magnesium; tubes and pipes and blanks therefor, of magnesium; hollow bars of magnesium	ad val.	20 %

PHILIPPINES

78.01	Unwrought lead (including argentiferous lead); lead waste and scrap	ad val.	10 %
78.02	Wrought bars, rods, angles, shapes and sections, of lead; lead wire	ad val.	20 %
78.03	Wrought plates, sheets and strip, of lead	ad val.	20 %
78.04	Lead foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a weight (excluding any backing) not exceeding 1,700 g/m²; lead powders and flakes	ad val.	20 %
78.05	Tubes and pipes and blanks therefor, of lead; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets, flanges and s-bends) of lead	ad val.	20 %
79.01	Unwrought zinc; zinc waste and scrap	ad val.	10 %
79.02	Wrought bars, rods, angles, shapes and sections, of zinc; zinc wire	ad val.	20 %
79.03	Wrought plates, sheets and strip, of zinc; zinc foil; zinc powders and flakes	ad val.	20 %
79.04	Tubes and pipes and blanks therefor, of zinc; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of zinc	ad val.	20 %
80.01	Unwrought tin; tin waste and scrap	ad val.	10 %
80.02	Wrought bars, rods, angles, shapes and sections, of tin; tin wire	ad val.	20 %
80.03	Wrought plates, sheets and strip, of tin	ad val.	20 %
80.04	Tin foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a weight (excluding any backing) not exceeding 1 kg/m²; tin powders and flakes	ad val.	20 %
80.05	Tubes and pipes and blanks therefor, of tin; hollow bars, and tube and pipe fittings (for example joints, elbows, sockets and flanges), of tin	ad val.	20 %

Source: The International Customs Journal, Number 43, 7th Edition.

Tariff: Tariff and Customs Code of the Philippines, Year 1973-1974.

Note: For explanations concerning the type of duty and the relevant provisions, see the original source.

PORTUGAL

		Duty rates (ad val.)
26.01	Metallic ores and concentrates and roasted iron pyrites :	
	A. Iron ores	Free
	B. Pyrites concentrated by flotation	2
	C. Copper concentrates and ores	Free
	D. Bauxite	Free
	E. Lead concentrates	Free
	F. Zinc concentrates	Free
	G. Manganese ores	Free
	H. Other non-ferrous ores	Free
	[illegible] the manufacture [illegible]	10
26.03 284.0(1)	Ash and residues (other than from the manufacture of iron or steel), containing metals or metallic compounds	5
28.20	Aluminium oxide and hydroxide; artificial corundum :	
513.6(5)	A. Aluminium oxide and hydroxide	2
513.6(6)	B. Artificial corundum	10
73.01	Pig iron, cast iron and spiegeleisen, in pigs, blocks, lumps and similar forms :	
	A. White pig iron	Free
	B. Grey pig iron	Free
	C. Other	Free
73.02	Ferro-alloys :	
671.4	A. Ferro-manganese	Free
	B. Ferro-silicon	Free
	C. Ferro-phosphorus (less than 15 % of phosphorus)	Free
	D. Ferro-tungsten	Free
	E. Ferro-molybdenum	Free
	F. Ferro-titanium	Free
	G. Ferro-vanadium	Free
	H. Ferro-silico-manganese	Free
	I. Ferro-silico-calcium	Free
	J. Ferro-chromium	Free
671.5	K. Other ferro-alloys	Free
73.03 282.0	Waste and scrap metal of iron or steel :	
	A. Of cast iron	Free
	B. Of iron (other than cast iron) or steel	Free
73.04 671.3(1)	Shot and angular grit, of iron or steel, whether or not graded, wire pellets of iron or steel	5
73.05	Iron or steel powders; sponge iron or steel	5
73.06	Puddled bars and pilings; ingots, blocks, lumps and similar forms, or iron or steel	Free
73.07 672.5(1)	Blooms, billets, slabs and sheet bars (including tinplate bars), of iron or steel; pieces roughly shaped by forging, of iron or steel :	
	A. Blooms for re-rolling	2
	B. Tube billets	3
	C. Billets for re-rolling	4
	D. Slabs	3
	E. Other semi-products	5
73.08 672.7(1)	Iron or steel coils for re-rolling	5
73.09 674.1(4)	Universal plates of iron or steel	5
73.10	Bars and rods (including wire rod), of iron or steel, hot-rolled, forged, extruded, cold-formed or cold-finished (including precision-made); hollow mining drill steel :	
	A. Hollow deep drilling steel, with welded connections	3
	B. Hollow bars of alloy steel	3
	C. Cold-drawn bars	5
	D. Concrete reinforcing bars	8
	E. Other	5

ROMANIA

0	1	2	3
73.11		Angles, shapes and sections, of iron or steel, hot-rolled, forged, extruded, cold-formed or cold-finished; sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements :	
	673.4(1)	A. Heavy angles, shapes and sections of more than 80 mm	Free
		B. Steel angles, shapes and sections up to 80 mm	6
		C. Curved angles, shapes and sections	5
		D. Other	5
73.12	675.0(1)	Hoop and strip, of iron or steel, hot-rolled or cold-rolled :	
		A. Hot-rolled hoop and strip	6
		B. Cold-rolled hoop and strip	5
73.13		Sheets and plates, of iron or steel, hot-rolled or cold-rolled :	
		A. Sheets and plates, of iron steel, hot-rolled or cold-rolled, whether or not pickled, not exceeding 1 mm	3
		B. Sheets and plates, of iron or steel, hot rolled or cold-rolled, whether or not pickled, of a thickness exceeding 1 mm but not exceeding 3 mm	5
		C. Sheets and plates, of iron or steel, hot-rolled or cold-rolled, whether or not pickled, of a thickness exceeding 3 mm	6
		D. Tinned sheets and plates	3
		E. Zinc-clad sheets and plates	4
		F. Other sheets and plates	5
73.14	677.0(1)	Iron or steel wire, whether or not coated, but not insulated :	
		A. Zinc-clad wire	3
		B. Drawn wire exceeding 50 kilogram-force	5
		C. Drawn wire not exceeding 50 kilogram-force	5
		D. Other wire	5
73.15		Alloy steel and high carbon steel in the forms mentioned in headings Nos. 73.06 to 73.14 :	
		A. High carbon tool steel	5
		B. Blooms and billets for re-rolling, of alloy steel	Free
		C. Tube billets of alloy steel	Free
		D. High-speed tool steel	Free
		E. Alloy tool steel	Free
		F. Remanceless sheets and plates	Free
		G. Transformer and dynamo sheets and plates	3
		H. Sheets and plates of high-speed steel and sheets and plates of spring steel	3
		I. Hoop and strip of steel	3
		J. Sheets and plates of alloy steel	3
		K. Clad plates and sheets	3
		L. Sheets and plates of stainless steel	Free
		M. Other rolled products of alloy steel	5
73.16		Railway and tramway track construction material of iron or steel, the following : rails, check-rails, switch blades, crossings (or frogs), crossing pieces, point rods, rack rails, sleepers, fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialised for joining or fixing rails :	
	676.1	A. Tramway rails	3
	676.1	B. Standard-gauge railway rails	5
	676.1	C. Sub-standard gauge railway rails	3
	676.2	D. Light-weight material	2
	676.2	E. Other railway and tramway track construction material	3
73.17	678.1	Tubes and pipes, of cast iron	5
73.18		Tubes and pipes and blanks therefor, of iron (other than of cast iron) or steel, excluding high-pressure hydro-electric conduits :	
	672.9	A. Seamless tubes and pipes :	
		1. Conduits	5
		2. Tubes and pipes for use in structures	4
		3. Tubes and pipes for use in installations	5
		B. Welded tubes and pipes :	
		1. Tubes and pipes for use in structures	5
		2. Tubes and pipes for use in installations	5
		3. Conduits	5
	678.3	C. Other tubes and pipes :	
		1. Extraction tubes and pipes	2
		2. Drilling tubes and pipes	3
		3. Other tubes and pipes	5

ROMANIA

74.01		Copper matte; unwrought copper (refined or not); copper waste and scrap :	
	284.1(2)	A. Copper waste and scrap	Free
	682.1(2)	B. Electrolytic copper	Free
		C. Other	Free
74.02	682.1(3)	Master alloys	Free
74.03	682 2(1)	Wrought bars, rods, angles, shapes and sections, of copper, copper wire :	
		A. Wrought bars and rods of copper	Free
		B. Angles, shapes and sections of copper	Free
		C. Copper wire	Free
74.04	682.2(3)	Wrought plates, sheets and strip, of copper :	
		A. Copper strip	Free
		B. Wrought plates of copper	Free
		C. Other	Free
74.05	682.2(3)	Copper foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a thickness (excluding any backing) not exceeding 0.15 mm	Free
74.06	682.2(4)	Copper powders and flakes	2
74.07	682.2(5)	Tubes and pipes and blanks therefor, of copper, hollow bars of copper	Free
74.08	682.2(6)	Tube and pipe fittings (for example, joints, elbows, sockets and flanges), of copper	2
75.01		Nickel mattes, nickel speiss and other intermediate products of nickel metallurgy; unwrought nickel (excluding electro-plating anodes); nickel waste and scrap :	
	683.1	A. Nickel mattes, nickel speiss and other intermediate products of nickel metallurgy	Free
		B. Nickel waste and scrap	Free
75.02	683.2(1)	Wrought bars, rods, angles, shapes and sections, of nickel; nickel wire :	
		A. Rolled products of nickel	Free
		B. Chrome-nickel wire	Free
		C. Chrome-nickel strip	Free
75.03	683.2(2)	Wrought plates, sheets and strip, of nickel; nickel foil; nickel powders and flakes :	
		A. Nickel strip	Free
		B. Other flat products	Free
75.04	683.2(3)	Tubes and pipes and blanks therefor, of nickel; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of nickel :	
		A. Nickel tubes	Free
		B. Other	Free
75.05	683.2(4)	Electro-plating anodes, of nickel, wrought or unwrought, including those produced by electrolysis	Free
76.01		Unwrought aluminium; aluminium waste and scrap :	
	684.1	A. Unwrought aluminium	10
	284.0(4)	B. Aluminium waste and scrap	Free
76.02	684.2(1)	Wrought bars, rods, angles, shapes and sections, of aluminium; aluminium wire :	
		A. Wrought bars and rods of aluminium	8
		B. Aluminium wire	5
		C. Wrought bars and rods of aluminium alloy	6
		D. Angles, shapes and sections of aluminium alloy	5
		E. Rolled products; duraluminium	5
76.03	684.2(2)	Wrought plates, sheets and strip, of aluminium	8
76.04	684.2(3)	Aluminium foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a thickness (excluding any backing) not exceeding 0.20 mm :	
		A. Aluminium foil of a thickness not exceeding 0.20 mm	5
		B. Aluminium paper	3
76.05	684.2(4)	Aluminium powders and flakes	5
76.06	684.2(5)	Tubes and pipes and blanks therefor, of aluminium; hollow bars of aluminium	8
76.07	684.2(6)	Tube and pipe fittings (for example, joints, elbows, sockets and flanges), of aluminium	10

ROMANIA

77.01		Unwrought magnesium; magnesium waste (excluding shavings of uniform size) and scrap	Free
77.02	689.3(2)	Wrought bars, rods, angles, shapes and sections, of magnesium; magnesium wire; wrought plates, sheets and strip, of magnesium; magnesium foil; raspings and shavings of uniform size, powders and flakes, of magnesium; tubes and pipes and blanks therefor, of magnesium; hollow bars of magnesium :	
		A. Magnesium powders	5
		B. Rolled products of magnesium	3
78.01		Unwrought lead (including argentiferous lead); lead waste and scrap :	
	284.0(6)	A. Lead waste and scrap	Free
	685.1	B. Unwrought lead, refined	Free
		C. Foundry alloys	Free
78.02	685.2(1)	Wrought bars, rods, angles, shapes and sections, of lead; lead wire	3
78.03	685.2(2)	Wrought plates, sheets and strip, of lead :	
		A. Lead slabs	2
		B. Other	3
78.04	685.2(3)	Lead foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a weight (excluding any backing) not exceeding 1,700 g/m²; lead powders and flakes	2
78.05	685.2(4)	Tubes and pipes and blanks therefor, of lead; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets, flanges and S-bends), of lead :	
		A. For productive purposes :	
		1. Lead tubes and pipes	3
		2. Other	3
		B. For other purposes	10
79.01		Unwrought zinc; zinc waste and scrap :	
	284.0(7)	A. Zinc waste and scrap	Free
		B. Refined zinc and electrolytic zinc	Free
		C. Unrefined zinc	Free
		D. Zamak (zinc-aluminium alloy)	Free
79.02	686.2(1)	Wrought bars, rod, angles, shapes and sections, of zinc; zinc wire	3
79.03		Wrought plates, sheets and strip, of zinc; zinc foil; zinc powders and flakes :	
		A. Wrought plates, sheets and strip, of zinc	2
	284.0(8)	B. Zinc powders and flakes	3
79.04	686.2(3)	Tubes and pipes and blanks therefor, of zinc; hollow bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of zinc :	
		A. Zinc tubes and pipes	3
		B. Other	3
80.01		Unwrought tin; tin waste and scrap	Free
80.02	687.2(1)	Wrought bars, rods, angles, shapes and sections, of tin; tin wire	3
80.03	687.2(2)	Wrought plates, sheets and strip, of tin	2
80.04	687.2(3)	Tin foil (whether or not embossed, cut to shape, perforated, coated, printed, or backed with paper or other reinforcing material), of a weight (excluding any backing) not exceeding 1 kg/m²; tin powders and flakes	Free
80.05	687.2(4)	Tubes and pipes and blanks therefor, of tin; hollow, bars, and tube and pipe fittings (for example, joints, elbows, sockets and flanges), of tin	2

Source: The International Customs Journal, Number 32, 8th Edition.

Tariff: Import Customs Tariff, Year 1973-1974

Note: For explanations concerning the type of duty and the relevant provisions, see the original source.